

**HENDERSON COUNTY
BOARD OF COMMISSIONERS**

MEETING DATE: November 5th, 2018

SUBJECT: EMS Ambulance Purchases FY19

PRESENTER: Jimmy Brissie, Emergency Services Director

ATTACHMENTS: (1) Ambulance Quotes (2)

SUMMARY OF REQUEST:

For the FY19 budget the Board of Commissioners approved the replacement of three (3) ambulances for Emergency Medical Services. Currently the Rescue Squad maintains four (4) 4WD trucks which are also used by EMS during inclement weather. Over the past two years EMS and Rescue Squad leadership have identified the need for additional four-wheel drive trucks. EMS Staff has worked with the ambulance manufacturer to design a truck which meets our space, weight and budget requirements. Staff recommends purchasing two 4WD trucks during FY19 in place of the traditional 2WD trucks. This may be accomplished with no change in the budget.

Additionally, increasing call volumes and service needs have identified the need for one additional “spare” ambulance. Over the past two years extended repair needs such as resulting from a collision or transmission service have left EMS without a spare vehicle at times. When this occurs and another vehicle experiences issues we may find it necessary to remove a truck from service, impacting response times. It is requested the Board of Commissioners consider approving one of the ambulances already approved for replacement to be maintained within the fleet as a spare ambulance.

In previous years the Board of Commissioners has donated surplus ambulances to the Henderson County Rescue Squad. These trucks are able to continue their service to Henderson County by supporting the Rescue Squad’s needs in providing a dependable vehicle for transportation services. It is requested the Board direct staff to evaluate the surplus ambulances and provide a recommendation for donation when appropriate. If directed, staff will provide the Board a recommendation for consideration of donation at a later date.

BOARD ACTION REQUESTED:

The Board is requested to approve the purchase of two four-wheel drive ambulances in place of two-wheel drive trucks and maintain one vehicle being replaced as a spare ambulance.

Suggested Motion:

I move the Board approve the purchase of two four-wheel drive ambulances from funds allocated in FY19 for ambulance replacement and maintain one of the vehicles scheduled for replacement as a spare ambulance for the EMS fleet.



QUOTATION

Henderson County EMS
Mike Barrett

Quote No: 10073-0011
10/08/2018 13:10:39

DESCRIPTION	QTY	EXTENDED
== *****<i>BID STANDARDS</i>***** - 15.007 0	1	0.00
-- ORDER NUMBER	1	0.00
-- Order Date: Post July 1, 2018	1	0.00
-- KKK Required State: Must choose yes or no	1	0.00
-- Please choose one; ??????????????	1	0.00
Vehicle Quantity (Vehicles)	1	0.00
Quality Management System ISO 9001(TM):2015 Registere	1	0.00
BODY NUMBER: Same as # 9857	1	0.00
-- MICKEY BODY DUE DATE :	1	0.00
ACCOUNT MANAGER: **MUST CHOOSE AN ACCOUNT MAN	1	0.00
REFERENCE UNIT #:	1	0.00
RE-WRITE DATE :	1	0.00
SEAT BELT POSITIONS MODS	1	0.00
-- CAB SEAT BELT MOD:	1	0.00
-- Total: 2 Positions	1	0.00
-- REAR SEAT BELT MOD:	1	0.00
-- Total: FILL IN NUMBER OF POSITIONS	1	0.00
Revision Level: 0 - Zero - ORIGINAL VERSION	1	0.00
== *****<i>C/K3500 162"WB CHASSIS</i>***** - 15.007	1	0.00
Type I Modular Ambulance	1	0.00

DESCRIPTION	QTY	EXTENDED
<p>2019 GM C3500 Gasoline 4 x 4 RW Reg Cab, 162" WB, L 2016 CC36403 Silverado 3500 2WD Regular Cab 162 WB GVWR 13,200 front GAWR 5600, Rear 9750 162 inch wheelbase 84.3 cab to axle. L96 Gasoline 6.0 Liter engine MYD 6 speed automatic transmission GT4 4:10:1 Rear Axle GTY Rear axle wide track LT235/80R17E all season highway tires ZY1 paint solid GAZ Summit White 40/20/40 Split front seats, Jet Black color IO5 Radio with 8" diagonal color touch screen Am/FM stereo, USB ports, UF3 High idle switch 730 CCA battery auxiliary 220 amp alternator Full size steel spare wheel license plate kit front ship loose vinyl front floor 8W9 increased front GAWR 5600 Front bumper chrome Grille, chrome surround Mirrors, outside heated, power adjustable upper glass. Manual folding. Manual tilt steering Power door locks Remote keyless entry Fuel tank, front and rear 63.5 gallon >> DUAL FUEL TANKS <<</p>	<p>1</p>	<p>39226.00</p>
<p><i>/-- GM Silverado OEM radio IO5 8 inch diagonal touc</i> with seek/scan and digital clock. Blue tooth, USB port, Aux jack, voice activated for radio and phone.</p>	<p>1</p>	<p>0.00</p>
<p><i>/-- Tires and Wheels: All Season, LT235/80R17E Steel</i></p>	<p>1</p>	<p>0.00</p>
<p><i>/-- Tire Pressure Monitoring System: None</i> Fuel Surcharge, C/K3500 Diesel, All-WB Chassis, DR-92 This is a fuel surcharge applied to all F-series Style Chassis with single fuel tanks.</p>	<p>1</p>	<p>0.00 61.00</p>

DESCRIPTION	QTY	EXTENDED
== DR-92, 141 x 92, C/K3500 CONVERSION - 15.007 0	1	0.00
Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel	1	52.00
BODY Generation 9	1	0.00
-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE O Unless specified as a minimum dimension.	1	0.00
	1	0.00
Body, Module: DR-92, 141 x 92 x 66" HR - TI - C/K3500 W This unit has a twelve inch step well height. (3" Lower Skirt than type III)	1	0.00
-- Headroom: 68/66" Finished Interior - Ducted A/C	1	0.00
--	1	0.00
-- Compartment Construction: STANDARD, Unless Speci Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	0.00
-- Compt Floors: Sweep-out, even with bottom door j Unless Specified Otherwise.	1	0.00
-- Compartment floor thickness .125" standard	1	0.00
-- Compartment Ventilation - Austin Flap style #VT-249	1	0.00
-- Curb side Entry Door (CSE): 78.8 High x 31 Wide	1	0.00
-- C/S Door Check : Double Action Gas Shock	1	0.00
-- Door Swing Angle: Set just over 90 degrees	1	0.00
-- Curbside Entry Door (CSE) Location: Standard, Rear	1	0.00
-- Step Well, CURBSIDE Entry Door, 2-Step Diamond Pl	1	0.00
-- Light, Step Well: 3" Weldon, White, STD	1	0.00
Weldon No 3-8025-1400-3T. Light shall come on with CS door only.		
-- Light, Step Well #2 : NONE	1	0.00
-- M-1 Compt (LF): DR-92, 61.5" H x 20.7" W x 17" D	1	0.00
-- Compartment Construction: STANDARD Diamond Pl Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet	1	0.00
-- Compartment Door Panel: Diamond Plate	1	0.00
-- Compartment Finish: Diamond Plate Standard	1	0.00
-- Compartment Door Ventilation - small punched half	1	0.00

DESCRIPTION	QTY	EXTENDED
-- Compt Floor: Sweep-out, even with bottom door ja	1	0.00
-- Compartment floor thickness .125" standard	1	0.00
-- Compartment Door: SINGLE DOOR, 1-point Latch	1	0.00
-- Light, Compt, M-1 (LF): Intertek Model No ZY-156-9	1	0.00
MTB Note: 1" Hole, Centered in Compartment ceiling		
/-- ****ARTIC WEDGE CONDENSER****	1	1980.00
-- M-2 Compt (LFM): NONE - No Condenser	1	0.00
/-- Condenser: OEM Only, No M2	1	0.00
-- M-3 Compt (LR): DR-92, 76.8" H x 20" W x 7" D, F1	1	0.00
-- Compartment Construction: STANDARD Diamond Pl	1	0.00
Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet		
-- Compartment Door Panel: Diamond Plate	1	0.00
/-- **M3 AMR Design****	1	198.00
-- Compartment Door: SINGLE DOOR, Forward hinged	1	0.00
-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle f	1	0.00
This strap is to secure things from moving while the vehicle is in motion.		
-- 2" Footman Loops: Locate back from jamb	1	0.00
-- Stowage label - 2 inch Strap Seatbelt Matl /Seatbe	1	0.00
A label shall be applied near the seatbelt material strap restraint with seatbelt buckle with footman loops that are installed indicating it's ability to restrain 20 pounds. The operator should not exceed the 20 pound weight rating.		
-- Light, Compt, M-3 (LR): 4" Flush, T/L No 40003	1	53.00
MTB Note: 4 1/2" Light hole centered in compartment ceiling		
-- M-5 Compt (RR): Spare, DR-92, 28.5" H x 32" W x 13.	1	0.00
With 5 1/2" deep tire well. Sizing of this compartment updated 05/13/2014		
-- Compartment Construction: STANDARD Diamond Pl	1	0.00
Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Bottom: .125 Aluminum Sheet Compartment Ceiling: .090 Aluminum Sheet		

DESCRIPTION	QTY	EXTENDED
-- Compartment Door Panel: Diamond Plate	1	0.00
-- Compartment Finish: Diamond Plate Standard	1	0.00
<i>/-- Compt Floor: Sweep-out, even with bottom door</i>	<i>1</i>	<i>0.00</i>
<i>/-- Compartment floor thickness .125" standard</i>	<i>1</i>	<i>0.00</i>
-- Compartment Door: SINGLE DOOR, 1-point Latch	1	0.00
-- Light, Compt, M-5 (RR): 4" Flush, T/L No 40003	1	0.00
MTB Note : 4 1/2" Light hole required, when Full Height compartment		
<i>/-- ** Dogleg M5 for interior Drawer***</i>	<i>1</i>	<i>0.00</i>
-- M-8 Drawer (RF): None - Batteries Under Hood	1	0.00
-- Rear Access Doors: 48 3/4" Wide x 56 5/8" High (DR	1	0.00
-- Talk through, Cab to Mod Window (T1) With Sliding W	1	0.00
-- Cab Roof Support : 3/16" x 3" Steel Plate, Per Engin	1	0.00
Between cab headliner and bottom side of cab roof to prevent oil canning.		
	1	0.00
WELDING - CELL 1	1	0.00
<i>/-- Stainless Steel - Sill protection: For the following c</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
REV to fabricate		
<i>/-- M-1: Left Front Compartment - Single Bend</i>	<i>1</i>	<i>51.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/-- M-3: Left Rear Compartment - Single Bend</i>	<i>1</i>	<i>51.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/-- M-5: Right Rear Compartment - Single Bend</i>	<i>1</i>	<i>51.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/-- M-7: Right Front Compartment - Single Bend</i>	<i>1</i>	<i>51.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
	1	0.00
Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std)	1	0.00
Part No: HOUS-1045		
BODY PROTECTION AND TRIM PACKAGE: C/K3500, DR-92	1	0.00
-- Bumper, Rear: HD Alum Framed w/DP pontoon cover	1	0.00
-- Step, Center: 2" x 7" Grip strut, flip-up	1	0.00
<i>/-- Dock Bumpers: Rubber 2 1/4" H x 8" W x 2" Thic</i>	<i>1</i>	<i>47.00</i>
Part No: BUMP-02		

DESCRIPTION	QTY	EXTENDED
<p><i>/-- Skirt Rails: Extruded Rubber</i> ILO Diamond Plate Skirt rails</p>	1	79.00
<p> -- Rear Kick Plate: Polished Aluminum Diamond Plate</p>	1	0.00
<p><i>/-- Rear Recovery Eyes: (2) Cast Iron - Paint Black</i> Part No: EYES-TOW1</p>	1	223.00
<p><i>/-- Eye Access Holes: (2) 5 inch Dia....., Align</i></p>	1	0.00
<p> -- Recessed Tag Area: Polished Aluminum Diamond Pl</p>	1	0.00
<p> -- Location: Centered in the kick plate</p>	1	0.00
<p> -- Tag Light: Kinequip LED #132703C</p>	1	0.00
<p> -- Corner Caps: 24.0" High, Alum Diamond Plate If there is a body drop, add the appropriate height to Corner Caps.</p>	1	0.00
<p> -- Front Stone Guards: 24.0" High, Alum Diamond Plate If there is a body drop, add the appropriate height to Stone Guards.</p>	1	0.00
<p> -- Fenders, Rear: Rubber Extruded, Black MTB #7215439</p>	1	0.00
<p> -- Rear Deflector: NONE</p>	1	0.00
<p> -- Running Boards: NONE</p>	1	0.00
<p> -- Mud Flaps Front: Modular, Rubber with AEV/Rev L Part# FLAP-M02</p>	1	0.00
<p> -- Mud Flaps Rear: Modular, Rubber AEV LOGO Part# FLAP-M01</p>	1	0.00
<p>(2) Rear Door Hold Opens: Grabber Style, each door</p>	1	0.00
<p> --</p>	1	0.00
<p>EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2</p>	1	0.00
<p>CORNER CAP LED ICC/WARNING LIGHTS</p>	1	0.00
<p> -- Front Corner Cap LED ICC/Warning Lights: Warnings</p>	1	0.00
<p> -- Front Center ICC Lts: (3) AMBER Kinequip LED No 1 Switch w/ Headlights.</p>	1	0.00
<p> -- Front ICC Lt Guards: NONE</p>	1	0.00
<p> -- Rear Corner Cap LED ICC/Warning Lights: Warnings R</p>	1	0.00

DESCRIPTION	QTY	EXTENDED
-- Rear Center ICC Lts: (3) RED Kinequip LED No 1124 Switch w/ Headlights	1	0.00
-- Rear ICC Lt Guards: NONE	1	0.00
 -- **Amber POB Lights Each Entry Door	1	152.00
-- ICC Warning Lights Switched: Primary Only	1	0.00
LED Patient on Board, Exterior, NONE	1	0.00
LED Door Panel Warning, Interior, NONE	1	0.00
Underbody Ground Lights : NONE	1	0.00
Tail Lights, Whelen LED Combinations , ILOS,	1	0.00
 -- Side Marker Lights: (2) RED Kinequip LED No 1124 Switch w/ Headlights.	1	0.00
 -- Whelen 600 Series, Tail Lights	1	0.00
 -- Flanges: (6) Chrome for above 600 Series Tail l	1	0.00
 -- Stop/Tail, Whelen 600 Series, LED, Pair, Maximu	1	238.00
 -- Turn, Whelen 600 Series, LED, Pair Horizontal -	1	179.00
 -- Back up, Whelen 600 Series, LED, Pair, Minimum	1	156.00
 -- **Lights, Cab 2" White LED ****	1	135.00
Patient Area Turn and Stop Light Indicator: None	1	0.00
Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED LOCATION: Over Rear Access Doors. Do not cut traditional hole. Just screw and wire holes required.	1	0.00
-- Light is to steady burn, no flash	1	0.00
SCENE/FLOOD LIGHTS (Whelen Halogen 900 size)	1	0.00
-- Left Scene Lights: (2) Whelen 900, 8-32 Degree,	1	0.00
-- Flanges: (2) Chrome for above 900 Series Scene li	1	0.00
-- Left Flood Activate: Left Flood Switch	1	0.00
-- Right Scene Lights: (2) Whelen 900, 8-32 Degree,	1	0.00
-- Flanges: (2) Chrome for above 900 Series Scene li	1	0.00
-- Right Flood Activate: Right Flood Switch and open	1	0.00
-- Rear Load Lights: (2) Whelen 900, 8-32 Degree	1	0.00
-- Flanges: (2) Chrome for above 900 Series Rear loa	1	0.00
-- Activate: Rear Flood Switch, Reverse and Lead RA D	1	0.00
HVAC SYSTEM: ACC Brand, Ducted in Ceiling - Vertical beh Mounted Behind the Attendant Seat Base Part No: AIRC-P03 Part No: PLEN-02	1	0.00
-- Return Air Plenum: Walk Thru Side of RF-ALS Stamp Powder Coated Steel Vent (VENT-FLOORV) mounted near floor. NOTE: Recessed pocket door or Walk-thru side	1	0.00

DESCRIPTION	QTY	EXTENDED
cabinets not available.		
-- Side Plenum Grille, Return Air: Stamped Powder Co	1	0.00
-- AC COMPRESSOR: Tee into OEM	1	0.00
-- AC Evaporator: ACC (AC/Heat unit) w/ dual fans - ST	1	0.00
-- Condensation Drain Pan: Internal ABS	1	0.00
-- Heater Hoses: EPDM - Nomex Rubber (per Ford QV	1	0.00
-- AC Hoses: Carrier "Quick Click" hose and fitting sys	1	0.00
-- Side Plenum Grille, Return Air: Stamped Powder Co	1	0.00
-- Filter, Washable Carbon Pre-Filter	1	0.00
-- AC Register Panels: (Std)	1	0.00
Direct Cold Air discharge through (4) Adjustable AC registers. (2) above Right Front Cabinet (2) in Electrical Cabinet door.		
-- Ducted AC Delivery: insulated & foil wrapped, 10 re	1	0.00
<i>/-- Thermostat, Rear A/C, Analog, ACC Systems</i>	1	77.00
Thermostat located in A/A. See Drawing.		
Espar Heater System: None	1	0.00
CEILING PANELS : ACM Gloss White - Short Modules	1	0.00
-- Dome Lts, LED K15: Kinequip, (3) Streetside, (3) Curb	1	0.00
<i>/-- Timer, Spring wound Constant Hot, Check out, 15</i>	1	86.00
Located on curbside wall at head of squad bench.		
<i>/-- Timer to Power: Street side DOMES, High intensi</i>	1	0.00
-- IV Hook No 1: Hook 07 w/ Velcro bag stabilizer - ST	1	0.00
-- LOCATION: Over head/chest area, primary patient	1	0.00
-- IV Hook No 2: Hook 07 w/ Velcro bag stabilizer - ST	1	0.00
-- LOCATION: Over head/chest area, secondary patie	1	0.00
-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72i	1	0.00
Grab Rail will be recessed in a ABS pan.		
Insulation PKG: Generation 9 body std.	1	0.00
-- Insulation: Circumferential PKG, Reflective w/ Air cell	1	0.00
single layer reflectix		
-- Insulation: Entry Door, Reflective w/ Air cell core	1	0.00
-- Insulation Sound Deadening: Generation 9 Floor	1	0.00
Generation 9 Floor Design		

DESCRIPTION	QTY	EXTENDED
-- Insulation: Walls/Ceiling, Additional : NONE	1	0.00
-- Stepwell Insulation: None	1	0.00
<i>/-- Light Bar Alternative, (2) Across Front</i>	1	0.00
In Addition to Standard Front Three Body Warning Lights. Five (5) Total Lights Across Front of Body.		
<i>/-- Front of Module LED System - All Bodies (2)</i>	1	0.00
<i>/-- Whelen, 900 Super LED, (2) RED</i>	1	0.00
<i>/-- Flasher for LED front of module</i>	1	111.00
<i>/-- Flanges: (2) 900-Chrome Flanges for lights a</i>	1	0.00
<i>/-- Light: Whelen 900, Super RED LED/CLEAR LE</i>	2	572.00
<i>/-- Alternative Lightbar Switching, Prim/Sec</i>	1	0.00
-- Rear Light Bar: NONE	1	0.00
LED WARNING LIGHT SYSTEM - C/K3500	1	0.00
<i>/-- Flasher: Vanner 9860GCPE</i>	1	0.00
Part No: FLAS-10		
<i>/-- Flash Pattern: KKK-A-1822</i>	1	0.00
<i>/-- Vanner 9860 Flash pattern Alternate Flash</i>	1	0.00
<i>/-- Warning Light SWITCH: center console, Primary</i>	1	0.00
<i>/-- (2) Grille Lights: Whelen 5TIR6, LED, Cast Housing</i>	1	0.00
<i>/-- Grille Light Housings: (2) Cast, 5TIR6 Lights, F-S</i>	1	100.00
HOUS-52619		
HOUS-52620		
<i>/-- Lights: (2) Whelen 5TIR6, RED LED/CLEAR LENS</i>	1	51.00
Default Program #25 Steady Burn		
<i>/-- Additional Grille TIR-Lights: NONE</i>	1	0.00
<i>/-- (2) Intersection Lights: Whelen 5TIR6, LED, 15° Cas</i>	1	170.00
<i>/-- Intersection Housings: (2) Cast, 5TIR6 Lights, 15°</i>	1	113.00
HOUS-52717		
HOUS-52718		
for LED TIR6		
<i>/-- Lights: (2) Whelen 5TIR6, RED LED/CLEAR LENS</i>	1	51.00
Default Program #25 Steady Burn		
<i>/-- (1) Center Front Warning Light : Whelen 900 (Supe</i>	1	0.00
<i>/-- Flange: (1) 900-Chrome Flanges for light above</i>	1	0.00
<i>/-- Light: Whelen 900, Super WHITE LED/CLEAR LE</i>	1	255.00

DESCRIPTION	QTY	EXTENDED
<i>/-- (2) Front Warning Lts: Whelen 900, (Super LED)</i>	1	0.00
<i>/-- Flanges: (2) 900-Chrome Flanges for lights abov</i>	1	0.00
<i>/-- Light: Whelen 900, Super RED LED/CLEAR LENS,</i>	2	448.00
<i>/-- (4) Side Warning Lts: Whelen 900, (Super LED)</i>	1	0.00
<i>/-- Flanges: (4) 900-Chrome Flanges for lights abov</i>	1	0.00
<i>/-- Light: Whelen 900, Super RED LED/CLEAR LENS,</i>	4	896.00
<i>/-- (2) Rear Intersection Lts : Whelen 700, (Super LED)</i>	1	94.00
<i>/-- Flanges: (2) 700-Chrome Flanges for lights abov</i>	1	0.00
<i>/-- Locations: (1) over each rear wheel well opening.</i>	1	0.00
<i>/-- Light: Whelen 700, Super RED LED/CLEAR LENS,</i>	2	94.00
<i>/-- Rear Intersection Lights Switched: PRIMARY / S</i>	1	0.00
<i>/-- (2) Rear Warning Lts: Whelen 900, (Super LED) il</i>	1	0.00
<i>/-- Flanges: (2) 900-Chrome Flanges for lights abov</i>	1	0.00
<i>/-- Location: REAR, (1) in EACH Upper outer corner</i>	1	0.00
<i>/-- Light: Whelen 900, Super RED LED/CLEAR LENS,</i>	2	448.00
<i>/-- (2) Rear Warning Lts: Whelen 900, (Super LED), IA</i>	1	0.00
<i>/-- Flanges: (2) 900-Chrome Flanges for lights abov</i>	1	0.00
<i>/-- Location: REAR, (1) aligned w/ EACH upper wind</i>	1	0.00
<i>/-- Light: Whelen 900, Super RED LED/CLEAR LENS,</i>	2	572.00
<i>/-- (1) Rear Center Warning Lt: Whelen 600, (Super LE</i>	1	129.00
<i>/-- Flange: (1) 600-Chrome Flanges for lights above</i>	1	0.00
<i>/-- Light: Whelen 600, Super AMBER LED/CLEAR LE</i>	1	35.00
<i>/-- Additional Kick Plate Lts, On Rear : NONE</i>	1	0.00
<i>/-- LED Program Switch : NONE</i>	1	0.00
ELECTRICAL - CELL 3	1	0.00
<i>/-- Cab Ovhd Light: (1) , Kinequip 440912WB, Red/ LITE-K4409</i>	1	61.00
<i>/-- Customer Supplied Part(s) : Yes See account</i>	1	0.00
<i>***Install Radio Cables supplied by customer</i>	1	0.00
Hand Held Spot Light: None	1	0.00
Not Require by KKK-F		
<i>/-- **Security System***</i>	1	300.00
Batteries: 2 - Battery System - Type I Chevy/ GMC 3500 H	1	0.00
<i>/-- Batteries: (2) Underhood (Type I)</i>	1	0.00
<i>/-- Battery Make: (2) OEM</i>	1	0.00

DESCRIPTION	QTY	EXTENDED
Battery Brand must match.		
<i>/-- Battery Switch & Auto-Battery Shut-down (Kill Circu</i> MDUL-ss32 Non adjustable timer set for 5 minutes. This will Include Cole Hersee 2484-16 Paddle Timer Activated by ignition.	<i>1</i>	<i>291.00</i>
Dash Light : NONE	1	0.00
Cabinet Interior Lights: None	1	0.00
POWER Door Locks: Module Doors - DR-92	1	0.00
<i>/-- Door Locks, Tied into OEM System</i> Module power locks are tied to the Chassis power lock system	<i>1</i>	<i>64.00</i>
<i>/-- OEM Key Fob: Included w/Chassis Unlock Mod Do</i> Must also operate the Module Power Door Locks Optioned.	<i>1</i>	<i>0.00</i>
<i>/-- Door Lock Switches : Integrated in Interior Entry d</i> (2) HAND-ILS SWIT-32L BOOT-01	<i>1</i>	<i>0.00</i>
<i>/-- ONLY the following doors shall have power door lo</i>	<i>1</i>	<i>0.00</i>
<i>/-- Electric Door Lock: (M-1) Left Front Compartment</i>	<i>1</i>	<i>99.00</i>
<i>/-- Electric Door Lock: (M-3) Left Rear Compartment</i>	<i>1</i>	<i>99.00</i>
<i>/-- Electric Door Lock: Rear Access Doors</i>	<i>1</i>	<i>99.00</i>
<i>/-- Electric Door Lock: Curbside Access Door</i>	<i>1</i>	<i>99.00</i>
<i>/-- Electric Door Lock: (M-7) Right Front Compt</i>	<i>1</i>	<i>99.00</i>
Door Unlock Switch, Momentary, Exterior, hidden SWITCH-32L BOOT-01 NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry into vehicle. By checking this option, purchaser further agrees to hold REV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.	1	89.00
<i>/-- Location: Recessed Tag Area</i>	<i>1</i>	<i>0.00</i>
<i>/-- **Electric oor Lock : (M-5) Right Rear</i>	<i>1</i>	<i>99.00</i>
<i>/-- Cam Sys - 3 camera, Fixed Exterior white backup,</i> CAMR-KIT3ASA = AOM7694WRRC (1) CAMR-CAMCCD	<i>1</i>	<i>1310.00</i>

DESCRIPTION	QTY	EXTENDED
(1) ADAP-31100041		
To Consist of:		
7" Monitor Mount		
White Exterior Backup Camera		
Patient Area Bullet Camera		
Right Side Turn Camera (reverse image)		
(2) Camera Cable (50Ft)		
(1) Camera Cable (15Ft)		
Camera Adapter		
<i>/-- Monitor: Mount special :Rear View Mirror</i>	<i>1</i>	<i>275.00</i>
<i>/-- Camera 1</i>	<i>1</i>	<i>0.00</i>
<i>/-- View Location - Backup, Module rear</i>	<i>1</i>	<i>0.00</i>
<i>/-- Camera 2</i>	<i>1</i>	<i>0.00</i>
<i>/-- Camera view location - Module interior patient c</i>	<i>1</i>	<i>0.00</i>
<i>/-- Camera 3</i>	<i>1</i>	<i>0.00</i>
<i>/-- View only location- Right turn blind spot, Right fr</i>	<i>1</i>	<i>0.00</i>
Circuit Board: RMR Rail System, W/ LED Diagram - Type I	1	0.00
-- Circuit Protection, 12V: Blade Breaker - Manual-reset	1	0.00
-- Sequencer/Load manager: NONE	1	0.00
-- Ind Light Flasher: Thru 14S Flasher Unit	1	0.00
-- Type I - CAB Wood Console: Pass Thru - 14" OAW std	1	0.00
-- Map Light : None	1	0.00
-- Type 1 LED Rocker Switches Front and Rear Switch	1	0.00
-- Map Light : None	1	0.00
<i>/-- Master Switch: Front and Action Area</i>	<i>1</i>	<i>173.00</i>
-- Smart Volt Meter: (1) Kinequip 8.0 thru 16.0 Volts	1	0.00
GAGE-KVOLT		
-- Engraved LOGO: AEV TraumaHawk	1	0.00
-- Indicator Light: Halogen AMBER "Compt Open" li	1	0.00
-- Flashing light: Activate w/ ANY compartment d	1	0.00
-- Indicator Light: halogen GREEN "AMB PWR" light	1	0.00
-- Steady burn light: Activate with Conversion pow	1	0.00
-- Indicator Light: Halogen RED "Door Ajar" light	1	0.00
-- Flashing light: Activate w/ ANY Mod entry door	1	0.00
-- Door/Compartment Ajar Buzzer: None	1	0.00
-- Illumination strip LED for Front and rear switch pa	1	0.00
<i>/-- Add-on Console: Type 1</i>	<i>1</i>	<i>173.00</i>
<i>/-- Drink Holder: (2) In Cab Console, Big Gulp Siz</i>	<i>2</i>	<i>40.00</i>
<i>/-- Drink Holder Location: Front</i>	<i>2</i>	<i>0.00</i>
<i>/-- Note Book Slot: Single - Full width by 2" wide</i>	<i>1</i>	<i>50.00</i>
<i>/-- Glove Storage: None</i>	<i>1</i>	<i>0.00</i>
<i>/-- Console Finish: Black, Textured "Easy Grip"</i>	<i>1</i>	<i>0.00</i>

DESCRIPTION	QTY	EXTENDED
--	1	0.00
-- Console Finish: Black, Textured "Easy Grip"	1	0.00
--	1	0.00
Back-up Alarm: Standard 102DB	1	0.00
-- Cut Off Switch: Auto reset ,momentary style	1	0.00
Ground Straps, Module to Frame: (Qty 4) Braided	1	0.00
Grind/Clean each ground site on the OEM frame to bare steel.		
Use 3/8" - UNC x 1 1/2", Grade 8 hex head bolts, Nuts, and external tooth lock washers. Tighten to minimum 20 Ft/Lb.		
Inverter : Vanner 20-1050 CUL-DC - DR-92 INVE-1050DC	1	1233.00
-- Portable Equip Charging Circuits: Included in Inver	1	0.00
-- PREWIRE LOCATION: (1)Cab Console, (1) Behind	1	0.00
-- Portable Equip Pwr Source: Ignition and/or Sho	1	0.00
Reference 3.7.7.2 and Figure 7 in KKK-A-1822E		
-- Battery Charger/Conditioner: 55A - Built into Inve	1	0.00
-- Built-in Battery Charger: Enable - Wire to Batteri	1	0.00
-- Inverter Location: Under A/A	1	0.00
Low Voltage Indicator: Amber with Buzzer	1	0.00
COMMUNICATION RADIO(S) RELATED	1	0.00
--	1	0.00
RADIO POWER	1	0.00
-- Radio Power No 1: 30A, Pos and Neg, 10 awg Wires	1	0.00
-- Radio Power Source: Battery Switch Hot	1	0.00
-- LOCATION: Behind Passenger's Seat	1	0.00
-- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1	0.00
-- Radio Power Source: Battery Switch Hot	1	0.00
-- LOCATION: Behind Action Area Board	1	0.00
ANTENNA LEADS	1	0.00
-- Coaxial Cable, No 1: Type RG-58U, No connectors	1	0.00
-- ORIGINATION POINT: Roof Port No 1	1	0.00
Roof Port No 1 is lined up with the edge of the curbside entry door, and centered side to side as possible		

DESCRIPTION	QTY	EXTENDED
-- Port Plate: None - Access thru center upholstery p	1	0.00
-- TERMINATION POINT: Behind Passenger's seat w/ 3	1	0.00
<i> -- Additional Coax *****</i>	<i>1</i>	<i>26.00</i>
-- Patient Area Radio : None	1	0.00
INTERIOR 12 Volt OUTLETS (DR-92)	1	0.00
<i> -- 12V Outlet, DUAL USB 3.1A/ 2.1A and 1A slots Ad</i>	<i>1</i>	<i>87.00</i>
Includes waterproof cover. DUAL USB outlet SOCK-USBW		
<i> -- LOCATION: Action Area wall #2</i>	<i>1</i>	<i>0.00</i>
-- 12V Outlet, No 1: Power Point Double Outlet- Wire thr	1	0.00
-- LOCATION: Action Area wall no 3 (Front wall)	1	0.00
-- Outlet mounting ORIENTATION: Vertical	1	0.00
-- Power Source: Medical Isolator , Batt Sw Hot	1	0.00
125 Volts AC SHORE LINE AND OUTLETS	1	0.00
<i> -- Shore Line Inlet: 20A Super Auto Eject, ILOS</i>	<i>1</i>	<i>301.00</i>
<i> -- Inlet location: Aft of Left Front compartment</i>	<i>1</i>	<i>0.00</i>
<i> -- Cover, Yellow, Shore Line Inlet : 20A Super Auto</i>	<i>1</i>	<i>0.00</i>
<i> -- Inpower Timer: VCM-05-01SF, Installed</i>	<i>1</i>	<i>62.00</i>
TIME-VCM05 VCM-05-01SF NOTE: This allows the auto eject to be wired to the ignition switch ILO splicing into the OEM starter circuit and is required any this vehicle		
<i> --</i>	<i>1</i>	<i>0.00</i>
-- **125 Volt AC OUTLETS (DR-92)**	1	0.00
-- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY	1	0.00
-- Outlet mounting ORIENTATION: Vertical	1	0.00
-- LOCATION: Action Area Wall No 3 (Front wall)	1	0.00
-- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY	1	0.00
-- LOCATION: RF ALS, (See Drawing)	1	0.00
-- Outlet mounting ORIENTATION: Vertical	1	0.00
<i> -- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVO</i>	<i>1</i>	<i>82.00</i>
<i> -- LOCATION: Special Location -Behind Pass Seat</i>	<i>1</i>	<i>0.00</i>
<i> -- Outlet mounting ORIENTATION: Vertical</i>	<i>1</i>	<i>0.00</i>
<i> -- 125 VAC Outlet, No 4: 15A, Hospital Grade, IVO</i>	<i>1</i>	<i>82.00</i>
<i> -- LOCATION: Telemetry Area, (See Drawing)</i>	<i>1</i>	<i>0.00</i>
<i> -- Outlet mounting ORIENTATION: Vertical</i>	<i>1</i>	<i>0.00</i>
<i> -- 125 VAC Outlet, No 5: 15A, Hospital Grade, IVO</i>	<i>1</i>	<i>82.00</i>

DESCRIPTION	QTY	EXTENDED
<i>/-- LOCATION: RF ALS, (See Drawing)</i>	1	0.00
<i>/-- Outlet mounting ORIENTATION: Vertical</i>	1	0.00
Siren: Whelen, 295SLSA1, Standard GM-C/K3500	1	0.00
<i>/-- Siren Spkr: CPI, Bumper surface thru bumper mou</i>	1	0.00
Surface mount housing with Thru OEM fog light siren speaker mounting. REV parts; SPEA- 3811P Passenger side SPEA- 3811D Driver side		
<i>/-- Siren / Horn Switch: In Cab Console</i>	1	0.00
This standard rocker switch in the front switch panel shall select horn ring output: Siren Functions OR OEM Horn		
Air Horn System: NONE	1	0.00
	1	0.00
CABINET SHOP - Modular	1	0.00
ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + Unless specified as a minimum dimension.	1	0.00
<i>Mica Color: Gloss Gray</i>	1	36.00
<i>/-- All Cabinet interiors Standard Pre-laminated > WHI</i>	1	0.00
<i>LEXAN Type/Color: Lexan - GRAY</i>	1	0.00
<i>/-- Window Handles: Full Length Extruded</i>	1	0.00
<i>/-- Attendant Seat EVS child Safety Seat 6 Deg with 6</i>	1	0.00
<i>/-- Attendant Seat:EVs, 6 deg Child Safety Seat with</i>	1	712.00
ARMRESTS are not permitted on this seat as of 02-15-16 SEAT-14EV6G6T SEAT-LOGO AEV REV		
<i>/-- BASE: EVS Seats, Metal, Mica Covered Base, M</i>	1	225.00
<i>/-- Door, Single Solid Flush Fitted</i>	1	0.00
<i>/-- TRIM: U-shaped Door, J-trim opening</i>	1	0.00
<i>/-- SPECIFY HINGE ORIENTATION ????????</i>	1	0.00
<i>/-- Hinge: 1 1/2" Stainless Steel Piano Hinge</i>	1	0.00
<i>/-- Lever Latch: Non-locking - Black Finish</i>	1	0.00
<i>/-- Stowage rating label - Black Lever latch 8</i>	1	0.00
A label shall be applied for any door, drawer secured by a black lever latch indicating its ability to restrain 8 pounds of contents within the stowage area		
AC CABINET: Evaporator / Blower - Standard DR-92	1	0.00

DESCRIPTION	QTY	EXTENDED
--	1	0.00
ELECTRICAL CABINET, Over Att Seat: Standard DR-92	1	0.00
-- Door, Single Solid, Flush - Standard Electrical cabinet	1	0.00
Install Gas strut hold open		
HOLD-0440M		
-- TRIM: U-shaped Door, J-trim opening	1	0.00
-- Hinge Orientation: TOP	1	0.00
-- Lever Latch: Non-locking - Black Finish Non Stora	1	0.00
SAE Compliant latch, tested. No storage rating applied to this area.		
--	1	0.00
CURBSIDE UPPER: NONE - Not enough head strike clearan	1	0.00
--	1	0.00
CURBSIDE REAR STORAGE CABINET: NONE	1	0.00
--	1	0.00
RF ALS Cabinet: DR, "I-1" through "I-4" Combined	1	0.00
-- (2) Shelves: Adjustable, Mica over substrate, (Incl	1	0.00
-- Doors, Double Solid Flush Fitted (DR86-92)	1	298.00
-- TRIM: U-shaped Door, J-trim opening, DBL DRS	1	0.00
-- Hinge Orientation: (1) RIGHT and (1) LEFT	1	0.00
-- Round Pull Latch: Non-locking - Chrome Finish	2	38.00
-- Stowage rating label - Southco round latch 10	2	0.00
A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.		
-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	0.00
-- Check the specified Walk through Door type (Statio	1	0.00
-- Drawer I-3: 6" high,	1	255.00
-- Drawer Front: Flush Fitted	1	0.00
-- TRIM: U-shaped Door, J-trim opening	1	0.00
-- Round Pull Latch: Non-locking - Chrome Finish	1	19.00
-- Stowage rating label - Southco round latch 1	1	0.00
A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.		
-- Lock, CompX-E, Model 150 w/ Proximity Card/	1	398.00
(1) CARD-PROXY (Ship loose with lock and truck)		
(1) LOCK-150PRKPCAB Model 150		
COMPX- PRKP-CAB		
Networkable for a dry cabinet installation		

DESCRIPTION	QTY	EXTENDED
Keypad, with HID proximity sensor Uses AA size batteries, has a 9v battery jump point for low battery opening.		
<i>/-- Lock install location</i> Please define	1	0.00
<i>/-- Software, CompX-E Lock EL-LOCKVIEW-5 for</i> ship loose; Model EL-LOCKVIEW-5 Includes one license. Only one software is needed for many locks. Includes install CD, USB Dongle & RJ11 Cable	1	575.00
<i>/-- Drawer Slides: Full Extension, Detachable</i>	1	0.00
<i>/-- Interior MICA Color: White cabinet liner</i>	1	0.00
<i>/-- Cabinet I-4: 15.0" High, 164 Med Duty, Std</i>	1	0.00
<i>/-- Doors, Double Solid Flush Fitted</i>	1	78.00
<i>/-- TRIM: U-shaped Door, J-trim opening, DBL DRS</i>	1	0.00
<i>/-- Hinge Orientation: (1) RIGHT and (1) LEFT</i>	1	0.00
<i>/-- Hinge: 1 1/2" Stainless Steel Piano Hinge</i>	2	0.00
<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	2	38.00
<i>/-- Stowage rating label - Southco round latch 1</i> A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.	2	0.00
<i>/-- Interior MICA Color: White cabinet liner</i>	1	0.00
<i>/-- Inside access / Outside Access through M-7 Door</i>	1	0.00
<i>/--</i>	1	0.00
SQUAD BENCH: DR-92 Standard	1	0.00
<i>/-- See Upholstery Section for Post and Wheel Cup info</i>	1	0.00
<i>/-- Bio-waste/Sharps No 1: Gray ABS Rim, Red Lexan Cov</i>	1	0.00
<i>/-- LOCATION: At head of Squad Bench</i>	1	0.00
<i>/-- WASTE CONTAINER: 6 Quart</i>	1	0.00
<i>/-- Squad Bench Lids: Split - 2-section</i>	1	0.00
<i>/-- Hinge, Squad Bench Lid(s): Butt Style Hinges</i>	1	0.00
<i>/-- Lid Checks: Gas shock, Dual Action</i>	2	0.00
<i>/-- Latch, Squad Bench Lid: Slam Action Paddle, W keep</i>	2	0.00
<i>/-- Stowage rating label - Squad bench interior, entir</i> A label shall be applied near the squad bench storage area indicating the latches ability to restrain 80 pounds across the entire area. These latches were tested to SAE J3058 standards to 80 pounds and found passing. The operator	2	0.00

DESCRIPTION	QTY	EXTENDED
should not exceed the 80 pound weight rating.		
-- Edge Trim, Lids: Band w/ Laminate and J-Trim Prote	1	0.00
-- Back Board Slot: NONE, Move BB to M-3 (LR Compt)	1	0.00
-- Restraint Net, Removable, at head of S/B, Black Webb Black in color. NETS-MOD2	1	0.00
--	1	0.00
Miscellaneous Squad Bench Options: Select from list	1	0.00
SPARE TIRE/STAIRCHAIR CABINET: Behind Attn Seat w/ext	1	0.00
This is a 42" tall cabinet enclosure that allows exterior only access through the Left Front "M1" cmpt. NOTE: Will not fit both Stairchair and Spare Tire. -- Stair Chair, Support Shelf: NONE -- Non-Compliant to KKK-F Storage in Oxygen Compart	1	0.00
SPECIAL NOTE: The Stowage selected does not meet the performance requirements of the Recommended Practice for Ambulance Storage Compartments and Cabinets Design. Section 3.11.3 item 5 of KKK-A-1822F as revised July 1, 2017 (Change Notice 10), requires 5) Oxygen cylinder compartment shall not be utilized for storage of any other equipment. Individual requirements for your State may also be applicable, and should be reviewed. Based on your stowage compartment and cabinet design selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	1	0.00
TOP CABINET: DR-92, Full wall cabinet	1	0.00
-- Cabinet A: DR-92 *Make a little larger	1	0.00
-- Doors; Cabinet A Secure Latch Sliding Window	1	0.00
-- Stowage rating label - Secure Latch Sliding Windo	1	0.00
A label shall be applied for any secure latch sliding window system indicating its ability to restrain 40 pounds of contents within the stowage area. --	1	0.00
-- Cabinet B1 and B2: 3" Taller Than Standard	1	0.00
-- Shelf Track: NONE	1	0.00
-- (1) Shelf: FIXED	1	0.00

DESCRIPTION	QTY	EXTENDED
<i>/-- Lexan Dividers with ABS Track</i>	1	157.00
<i>/-- Door: Single Flip Up 3/8" Lexan</i>	1	0.00
<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	19.00
<i>/-- Stowage rating label - Southco round latch 1</i>	1	0.00
A label shall be applied for any door, drawer secured by a Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.		
<i>/--</i>	1	0.00
<i>/-- Cabinet C: DR-92, Standard</i>	1	0.00
<i>/-- Door, Single Solid Flush Fitted Hinged Right</i>	1	0.00
<i>/-- TRIM: U-shaped Door, J-trim opening</i>	1	0.00
<i>/-- Hinge Orientation: RIGHT</i>	1	0.00
<i>/-- Hinge: 1 1/2" Stainless Steel Piano Hinge</i>	1	0.00
<i>/-- Lever Latch: Non-locking - Black Finish</i>	1	0.00
<i>/-- Stowage rating label - Black Lever latch 8 pound</i>	1	0.00
A label shall be applied for any door, drawer secured by a black lever latch indicating its ability to restrain 8 pounds of contents within the stowage area		
<i>/--</i>	1	0.00
<i>/--</i>	1	0.00
WALL CABINET: DR-92, CPR Side Seat, Opt No 3 - Telem	1	357.00
<i>/-- Action Area TOP: DR-92, Std, w/ CPR seat</i>	1	0.00
<i>/-- A/A: 1/2 Solid Surface****</i>	1	728.00
<i>/-- Action Area Board: Black Grip See Station No 6 f</i>	1	0.00
<i>/--</i>	1	0.00
<i>/-- Cabinet D: Two Finished Cabinets ILOS Stair Chair</i>	1	255.00
<i>/-- Cabinet D-1: DR-92, M-3</i>	1	0.00
<i>/-- Doors; Cabinet D Secure Latch Sliding Window</i>	1	0.00
<i>/-- Stowage rating label - Secure Latch Sliding W</i>	1	0.00
A label shall be applied for any secure latch sliding window system indicating its ability to restrain 40 pounds of contents within the stowage area.		
<i>/-- No Inside Access to Exterior Compartment</i>	1	0.00
<i>/--</i>	1	0.00
<i>/-- Cabinet E-2: DR-92 CPR Side Seat No 3</i>	1	0.00
Shortened for proper shelf height.		
<i>/-- Door: Single Flip 3/8" Lexan</i>	1	0.00
<i>/-- Round Pull Latch: Non-locking - Chrome Finish</i>	1	19.00
<i>/-- Stowage rating label - Southco round latch 1</i>	1	0.00
A label shall be applied for any door, drawer secured by a		

DESCRIPTION	QTY	EXTENDED
Round Southco latch indicating its ability to restrain 10 pounds of contents within the stowage area.		
/-/	1	0.00
/-/ Cabinet Under A/A, Access door	1	0.00
/-/ Access, Single Black Powder, Overlay (DR86-92)	1	0.00
/-/ Lever Latch: Non-locking - Black Finish	1	0.00
/-/ Stowage rating label - Black Lever latch 8 po	1	0.00
A label shall be applied for any door, drawer secured by a black lever latch indicating its ability to restrain 8 pounds of contents within the stowage area		
/-/	1	0.00
/-/ Side Seat: 24" - Single Position - Under Lid Storage	1	183.00
/-/ Hinge, CPR Seat Lid(s): Butt Style Hinges	1	0.00
/-/ Back Rest: Fixed to Back Wall of CPR Seat w/cli	1	0.00
/-/ Telemetry Area: with armrest pad	1	0.00
/-/ 1/2" Solid Surface Telemetry Area Tray:	1	669.00
The tray shall have a lip. The tray lip shall come up to the front and overlay the face.		
/-/ Solid Surface : Specify Color of Tray ????????	1	0.00
The tray shall have a lip The tray lip shall come up to the front and overlay the face.		
/-/ Cylinder Viewing Window: Sliding Polycarbonate	1	0.00
/-/ P6 - 6-Point Restraint System - DR92 - with CPR Sea	1	0.00
/-/ (2) on Squad Bench, (1) CPR Side Seat (DR92)	1	204.00
/-/ S/B: (3) Sec patient restraints - 9" Sleeves Face	1	0.00
/-/ S/B: (3) Sec patient restraints - 5" Sleeves By	1	0.00
	1	0.00
CABINET SET - CELL 4 - MOD	1	0.00
Sub Floor, 3/4" Plywood, Standard	1	0.00
Flooring: Lonplate II - No 424 Gun Metal (Dark Gray)	1	273.00
/-/ Flooring Main Edge: Anodized Aluminum Cove mol	1	0.00
/-/ Rear Threshold, Stainless, 6" Wide x Full Width at r	1	0.00
Install safety yellow with diagonal stripes nonskid tape over threshold.		

DESCRIPTION	QTY	EXTENDED
<i>/-- C/S Stepwell Threshold, Polished Diamond Plate</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
COT MOUNT HARDWARE: (DR-92)	1	0.00
<i>/-- Cot Mt Stryker Performance load w/floor plate - D</i>	<i>1</i>	<i>2753.00</i>
SAE J3026 compliant Not Compatible with cots other than Stryker! This item priced for Domestic USA usage only. Compatible only with properly equipped cots to the performance load. LOAD-PERFORMANC (COT MOUNT STRYKER 6392-000-004 MOUN-POWERLOAD (FLOOR PLATE 6390-700-001)		
<i>/-- Stryker load wheel guide 6390- 027-000</i>	<i>1</i>	<i>444.00</i>
Install Stryker wheel guide on lower Left cabinet wall, if Stryker power load will bring cot next to cabinets where wheels may hit and bind.		
<i>/-- Cot Position No 1: PRIMARY CENTER POSITION</i>	<i>1</i>	<i>0.00</i>
Maintain 12" between Cot and S/B.		
<i>/-- Primary Cot position under floor reinforcement</i>	<i>1</i>	<i>0.00</i>
Install 8 inch wide by 5 long 1/2" aluminum reinforcement at primary cot position. (Primary cot position only - REV Std) **If custom location is desired, must be specified below.		
<i>/-- Cot Stop, Block: Stryker Power/Performance loa</i>	<i>1</i>	<i>15.00</i>
<i>/-- Cot mount set up for: Stryker Performance Pro</i>	<i>1</i>	<i>0.00</i>
<i>/-- Q Straint System: NONE</i>	<i>1</i>	<i>0.00</i>
OXYGEN / AIR / VACUUM System: (DR-92)	1	0.00
<i>/-- Oxygen Outlet No 1: Amico Console - Ohmeda/Ohio</i>	<i>1</i>	<i>0.00</i>
Part No: OUTL-AOB		
<i>/-- LOCATION: Action Area</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/-- Oxygen Outlet No 2: Amico Console - Ohmeda/Ohio</i>	<i>1</i>	<i>0.00</i>
<i>/-- LOCATION: Action Area</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/-- Oxygen Outlet No 3: Amico Console - Ohmeda/Ohio</i>	<i>1</i>	<i>144.00</i>
<i>/-- LOCATION: Center Pad of Liner Panel, Over He</i>	<i>1</i>	<i>0.00</i>
<i>/--</i>	<i>1</i>	<i>0.00</i>
<i>/-- Port Cyl Rack No 1: Zico QR-D-2 - D Dealer Supplie</i>	<i>1</i>	<i>0.00</i>
Through bolt the rack to metal.		

DESCRIPTION	QTY	EXTENDED
-- Location: Wall behind Captains Seat	1	0.00
-- Port Cyl Rack No 2: Zico QR-D-2 - D Dealer supplied Through bolt the rack to metal.	1	0.00
-- Location: Wall behind Captains Seat	1	0.00
-- Rack No 1: M/H cylinder Adjustable W QR-MV & Zico P Fits cylinders 7" diameter or more.	1	0.00
-- Cylinder Type: OXYGEN - Green Colored Hose Regulator connection Nut: 9/16" RH thread.	1	0.00
-- Rack Location: Left Front, wall #2 near wall #3	1	0.00
-- Set up For M cylinder	1	0.00
-- Regulator, Oxygen, Fixed output @ 50 psi +/-5 , CG Installed on O2 line for pressure test, Tagged with Inspector signature/Date Protected for shipment and left on the hose, Plastic restraint tie to the oxygen bracket for shipment > Required under Change notice 11, July 1, 2018 .	1	0.00
-- Regulator Wrench: Cast aluminum, OXYGEN w/ cab	1	0.00
-- Vacuum System: SSCOR regulator/gauge panel in A/A	1	0.00
-- Collection Canister w Clip: Bemis, 1200 CC Capacit	1	0.00
LOCATION: In Action Area, to the left of A/A console box. with SSCOR canister retention clip		
-- VAC Plumbing: Direct from panel to canister - NO O	1	0.00
-- Vacuum Pump: 49 State	1	0.00
-- Location: M-2 Compartment	1	0.00
	1	0.00
TRIM / DOOR ASSEMBLY - CELL 5	1	0.00
-- Soft Touch Trim Kit: None	1	0.00
	1	0.00
*****DOOR DEPARTMENT - DR-92*****	1	0.00
-- Handles, Ext: Tri-mark 030-1875, Free Float, Polished Keyed 2002	1	0.00
-- Interior Release: All Entry Doors, with bezel Emerg All three Entry Doors, top and bottom latches.	1	0.00

DESCRIPTION	QTY	EXTENDED
Bezel installed around emergency release.		
Entry Door Panels, Windows and Hardware	1	0.00
-- Interior Grab Handle Color: Gray Antimicrobial	1	0.00
<i>/-- Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90,</i> Install CS door handle after cabinet installation. Close the doors and check for pinch points or cabinet interference.	<i>1</i>	<i>114.00</i>
<i>/-- Grab Handles, Rear Access: (2) 3-pt "L" Shaped 9</i>	<i>1</i>	<i>226.00</i>
<i>/-- Door Panels: Mica over smooth alum(upper/lower)</i>	<i>1</i>	<i>160.00</i>
<i>/-- Curbside Lower Door Panel: Mica over Smooth A</i>	<i>1</i>	<i>0.00</i>
-- UPPER Windows: RA Doors, Fixed Tinted Glass 17.3"W WIND-H0161	1	0.00
-- UPPER Window: CS Access, Fixed Glass, std tint	1	0.00
Solid wall with sliding Lexan window	1	0.00
-- Sliding Window Locking Pin: 1/4" with Lanyard	1	0.00
<i>Dri-Dek Compt Floors & Shelves Black, DR86/DR92</i>	<i>1</i>	<i>77.00</i>
<i>/-- Life Pak Bracket: Zoll X-Series Defibrillator, Surfac</i> Surface Mounted NCE X9000 bracket, with overhead grip to defibrillator	<i>1</i>	<i>734.00</i>
<i>/-- Monitor Mounting: Bolted in place</i> Location: In Telemetry Area	<i>1</i>	<i>0.00</i>
--	<i>1</i>	<i>0.00</i>
--	1	0.00
--	1	0.00
ELECTRICAL Point to Point - CELL 6	1	0.00
-- Map Light : None	1	0.00
-- IV Warmer No2 None required	1	0.00
<i>Cooling Drawer Cabinet: Waeco CD-30 CoolMatic (Whit</i>	<i>1</i>	<i>803.00</i>
<i>/-- Accessory Load Manager: For Cooling Cabinet or F</i>	<i>1</i>	<i>139.00</i>
Action Area Light: 12V, 12", LED, Surface Mt (DR) LITE-I29	1	0.00
-- Light Location: Action Area	1	0.00
UPHOLSTERY - CELL 7	1	0.00

DESCRIPTION	QTY	EXTENDED
Decals: NO SMOKING & SEATBELT, installed, cab & pt. area AEV Logos: Installed on unit per AEV standard locations Fire Extinguisher, 5 pound, shipped loose, Std Part No: EXTI-01	1	0.00
Reflector Pkg: Body - 2ea, Side Fr Amber, Side Re Red, Rea Stick-on reflectors: Peterson "Spitfire" B484R and B484A LOCATIONS: In lower corners of module (2) - (1) each side and Front - AMBER (2) - (1) each side and Rear - RED (2) - On Rear of body - RED	1	0.00
Post And Wheel Cups: NONE	1	0.00
Spare Tire: Refer To Chassis Section to See if it gets one.	1	0.00
Primary Cot: NONE included	1	0.00
Secondary Stretcher: NONE included	1	0.00
/- XXXXX3289XXXXX	1	0.00
Indemnification Statement	1	0.00
The purchaser agrees to defend, indemnify and hold REV harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the Purchased Products OR use of product for purposes it was not designed or intended for.		
== DR-92, T-1 C/K3500 Base - 15.007 08/13/18 ==	1	0.00
GENERAL CONVERSION	1	0.00
	1	0.00
2018 **DR-92** Type 1 K-3500 Silverado Gasoline 4 x 4	1	83984.00
Chevy Discount	1	-8300.00
NWEV Discount	1	-1777.00
- ***END OF ORDER***	1	0.00
Total		140,000.00

QUOTATION

Northwestern Emergency Vehicles

Henderson County EMS
820 North Justice St
Hendersonville, NC 28791

NWEV
Richard Hamby

Total - \$142,000

Exp. Date: 05/21/2016
Quote No: 10234-0016
TYPE III: 16495-T3TL 164-172 x 95 E450 Top Level
GENERAL: GEN_INFO 3 *****BID STANDARDS*****
CHASSIS: E-450-158_ ***E-450 DRW Cut-away CHASSIS(154/164)**
CONVERSION: 16495-T3 164-172 x 95 E450 Module Body, Conversion
BASE: 16495-T3B 164-172 x 95 T-3 Base Price

10/16/2018

Page 1

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
		== *****BID STANDARDS***** - 10.110 10/26/15 ==	1	AEV	0.00	0.00
00-00-0105		-- Order Date: Post July 1, 2017	1	AEV	0.00	0.00
00-00-0114		-- KKK Required State: No	1	AEV	0.00	0.00
00-00-0121	S	Change Notice Number 10 Required: Yes	1	AEV	0.00	0.00
00-10-0015	S	Vehicle Quantity (3 Vehicles)	1	AEV	0.00	0.00
00-10-0022		Quality Management System ISO 9001(TM):2008 Registered	1	AEV	0.00	0.00
00-91-0002	S	BODY NUMBER:10925-10926-10927	1	AEV	0.00	0.00
00-91-0005	S	-- MICKEY BODY DUE DATE : 8/24-8/25-8/25	1	AEV	0.00	0.00
00-91-0017		ACCOUNT MANAGER: Josh Cruey	1	AEV	0.00	0.00
00-91-0027	S	REFERENCE UNIT #: 17DF20963	1	AEV	0.00	0.00
00-91-0028		RE-WRITE DATE :	1	AEV	0.00	0.00
00-91-0040		SEAT BELT POSITIONS MODS	1	AEV	0.00	0.00
00-91-0042		-- CAB SEAT BELT MOD:	1	AEV	0.00	0.00
00-91-0044		-- Total: 2 Positions	1	AEV	0.00	0.00
00-91-0050		-- REAR SEAT BELT MOD:	1	AEV	0.00	0.00
00-91-0054		-- Total: 4 Positions	1	AEV	0.00	0.00
00-99-9000		Revision Level: 0 - Zero - ORIGINAL VERSION	1	AEV	0.00	0.00
00-99-9031	S	< Change Order Level: #1 - Date: 8-15-17	1	AEV	0.00	0.00
00-99-905C		-- Changes are confirmed: Date	1	AEV	0.00	0.00
		== ***E-450 DRW Cut-away CHASSIS(154/164)** - 10.110 10/26/15 ==	1	AEV	0.00	0.00
01-3F-0000		Type III Cut-a-way, Modular Ambulance	1	AEV	0.00	0.00
01-AO-3F44	<	2019 Ford, E-450 DRW Cut-away, 158", Hi Trim, Gas	1	AEV	34757.00	34757.00
01-3F-02SP		-- Rear Suspension: E-450 Leaf Springs, Single Stage (OEM)	1	AEV	0.00	0.00
01-3F-03SE		-- Cab Seats, Driver/Pass: OEM Captains' Chair - Cloth	1	AEV	0.00	0.00
01-FM-EWH1	<	-- Wheel Simulators: Phoenix, Polished S/S, E-Series	1	AEV	0.00	0.00
01-FM-FSA0		-- Shock Absorbers: OEM, HD Gas Type, 1.38 inch	1	AEV	0.00	0.00
01-FM-FSWA		-- Front stabilizer (Sway) Bar: OEM, 1.00 inch bar diameter	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
01-FM-RSWA		-- Rear stabilizer (Sway) Bar: OEM, 1.125 inch bar diameter	1	AEV	0.00	0.00
01-FM-TI08		-- Tire, SPARE: All season, Random Make LT225/75 R16, LR E	1	AEV	0.00	0.00
01-FM-TI01		-- Location: Shipped Loose	1	AEV	0.00	0.00
01-OE-47C0	<	-- Throttle Control System	1	AEV	0.00	0.00
01-RR-05C4		-- 2016+ Radio, Ford E-series: AM/FM/CD with Input Jack OEM w/ 2 cab speak	1	AEV	0.00	0.00
01-TP-0010		-- Tire Pressure Monitoring System: None	1	AEV	0.00	0.00
03-EA-43PR		-- Side Mirrors, OEM Black Telescope	1	AEV	0.00	0.00
01-FL-SM17		-- Mirrors, Convex Additional to OEM: None	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ			1	AEV	0.00	0.00
		== 164-172 x 95 E450 Module Body, Conversion - 10.110 10/26/15 ==	1	AEV	0.00	0.00
06-EA-01FD		Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel	1	AEV	52.00	52.00
		BODY	1	AEV	0.00	0.00
02-00-0002	XS <	-- Body Build Information	1	AEV	0.00	0.00
02-00-0003	<	-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"	1	AEV	0.00	0.00
02-B2-3F72		Body, Module: Cut-away, 172 x 95 x 72" Interior Head Room	1	AEV	1224.00	1224.00
02-00-0006		-- Headroom: 74/72" Finished Interior - Ducted A/C	1	AEV	0.00	0.00
02-00-0010	S	-- 3" Body drop curbside ahead of rear wheels	1	AEV	179.00	179.00
02-B0-3F2E		-- Cab Extension: 10-inch - allows full OEM seat travel + 4"	1	AEV	0.00	0.00
02-B0-CC01	<	-- Compartment Construction: STANDARD, Unless Specified Otherwise	1	AEV	0.00	0.00
02-B0-SFL0	<	-- Compt Floors: Sweep-out, even with bottom door jamb	1	AEV	0.00	0.00
02-B0-CC18		-- Compartment Ventilation - Austin Flap style #VT-2495-A01, STD	1	AEV	0.00	0.00
02-B0-CE01		-- Curbside Entry Door (CSE): 73.8 High x 31 Wide	1	AEV	0.00	0.00
02-B0-09B2		-- C/S Door Check : Double Action Gas Shock	1	AEV	0.00	0.00
04-EA-09B1		-- Door Swing Angle: Set just over 90 degrees	1	AEV	0.00	0.00
02-B0-CESL		-- Curbside Entry Door (CSE) Location: Standard, Rearward of M-7 Compt if Optioned	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
02-B1-SW68	S	-- Step Well, CURBSIDE Entry, 2-Step DP, Elongated for Portable O2 (2) D Tanks	1	AEV	128.00	128.00
05-IL-09SW	<	-- Light, Step Well: 3" Weldon, White, STD	1	AEV	0.00	0.00
05-IL-09XN		-- Light, Step Well #2 : NONE	1	AEV	0.00	0.00
02-B1-M1AA		-- M-1 Compt (LF): 72 HR, 58.8" H x 18.6" W x 19.4" D w/M1a	1	AEV	0.00	0.00
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
02-B0-CC16		-- Compartment Door Ventilation - small punched half moon Louvered Door	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV	0.00	0.00
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV	0.00	0.00
05-EL-40M1	<	-- Light, Compt, M-1 (LF): Intertek Model No ZY-156-921	1	AEV	0.00	0.00
08-B1-02LI		-- Prep for 02 Lift: NONE	1	AEV	0.00	0.00
02-B1-M1BA		-- M-1a Compt (LF Upper): 72 HR, 17.56" H x 18.6" W x 19.4" D	1	AEV	474.00	474.00
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
02-B0-CC16		-- Compartment Door Ventilation - small punched half moon Louvered Door	1	AEV	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV	0.00	0.00
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV	0.00	0.00
05-EL-40M1	<	-- Light, Compt, M-1 (LF): Intertek Model No ZY-156-921	1	AEV	0.00	0.00
02-B1-M264		-- M-2 Compt (LFM): 31.5" H x 44.5" W x 19.4" D	1	AEV	0.00	0.00
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV	0.00	0.00
02-B1-BIO2		-- Bio-Waste: DELETE M-2 Location	1	AEV	0.00	0.00
04-TS-11B2	<	-- Shelf, Fixed, Delete	1	AEV	0.00	0.00
02-BC-10D0		-- Doors, Compartment, DOUBLE DOORS (std)	1	AEV	0.00	0.00
04-TS-11D3		-- M-2 Shelf, Adjustable, Ext: .125 Alum, 2" Upward lip	1	AEV	0.00	0.00
04-TS-4010		-- Shelf Bracket: CPI 90 Deg with Slotted Holes	1	AEV	0.00	0.00
05-EL-40M2	<	-- Light, Compt, M-2 (LFM): Intertek Model No ZY-156-921	1	AEV	0.00	0.00
05-HA-13HY	<	-- Condenser, 12V: ACC, Dual Fan, Front of Body over Cab COND-ACT1A	1	AEV	820.00	820.00
04-HA-1310	<	-- ARCTIC WEDGE Condenser Cover: Install on Front Body over Condenser	1	AEV	1421.00	1421.00
12-B0-0002		-- Painted Part- Painted White YZ Std	1	AEV	0.00	0.00
12-B0-0002		-- Painted Part- Painted White YZ Std	1	AEV	0.00	0.00
06-RR-13Z0		-- Standard Conduit: 1-1/2", with pull wire	1	AEV	0.00	0.00
06-RR-13O4	S	-- CONDUIT ORIGINATION POINT: M-1A compartment	1	AEV	0.00	0.00
06-RR-13T3		-- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)	1	AEV	0.00	0.00
09-ZZ-ZZZZ		--	1	AEV	0.00	0.00
09-ZZ-ZZZZ		--	1	AEV	0.00	0.00
02-B2-M368		-- M-3 Compt (LR): 31.5" H x 33.1" W x 19.4" D	1	AEV	0.00	0.00
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV	0.00	0.00
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV	0.00	0.00
05-EL-40M3	<	-- Light, Compt, M-3 (LR): Intertek Model No ZY-156-921	1	AEV	0.00	0.00
09-ZZ-ZZZZ		--	1	AEV	0.00	0.00
02-B1-M571		-- M-5 Compt (RR): 72 HR, 79.8" H x 25.6" W x 21"D	1	AEV	0.00	0.00
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
02-B0-CC12	<	-- Compartment Ventilation - Compartment Ceiling O O O O	1	AEV	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV	0.00	0.00
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV	0.00	0.00
04-TS-19M5	S <	-- M-5 Divider, fixed (1) Full Height	1	AEV	0.00	0.00
04-TS-1001		-- Divider Material: .125 Aluminum Sheet	1	AEV	0.00	0.00
04-TS-STR1	<	-- Strap: 2" Webb, w/ Chrome Metal Seatbelt buckle	1	AEV	0.00	0.00
04-TS-STR2		-- 2" Footman Loops: Locate back from jamb	1	AEV	0.00	0.00
05-EL-40M5	<	-- Light, Compt, M-5 (RR): 4" Flush, T/L No 40003	1	AEV	0.00	0.00
09-ZZ-ZZZZ		--	1	AEV	0.00	0.00
02-B1-M664		-- M-6 Compt (RRFwd): 17.2" H x 13.5" W x 19.4" D	1	AEV	0.00	0.00
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC08		-- Compartment Door Panel: Diamond Plate	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV	0.00	0.00
02-BC-10A0		-- Compartment Door: SINGLE DOOR, 1-point Latch	1	AEV	0.00	0.00
05-EL-40M6	<	-- Light, Compt, M-6 (RRF): Intertek Model No ZY-156-921	1	AEV	0.00	0.00
09-ZZ-ZZZZ		--	1	AEV	0.00	0.00
02-B0-M764		-- M-7 Compt (RF): DELETE	1	AEV	-406.00	-406.00
02-B1-M864		-- M-8 Drawer (RF): Batt, 164, 12.1" H x 25.25" W x 21.4" D	1	AEV	0.00	0.00
02-B0-CC00	<	-- Battery Drawer compartment Construction: STANDARD Diamond Plate	1	AEV	0.00	0.00
02-B0-CC09		-- Compartment Door Panel: Smooth Aluminum	1	AEV	0.00	0.00
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
02-BC-10E0		-- Drawer Front: 2-point latch	1	AEV	0.00	0.00
05-ZZ-ZZZZ		--	1	AEV	0.00	0.00
02-B1-RA02		-- Rear Access Doors: 46 3/4" Wide x 60 5/8" High	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
		WELDING - CELL 1	1	AEV	0.00	0.00
04-AS-1800		-- Stainless Steel - Sill protection: For the following compartments	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
04-AS-18M0	<	-- M-1A: Left Front Compartment - Single Bend	1	AEV	51.00	51.00
04-AS-18M1	<	-- M-1: Left Front Compartment - Single Bend	1	AEV	51.00	51.00
04-AS-18M2	<	-- M-2: Left Front Middle Compartment - Single Bend	1	AEV	51.00	51.00
04-AS-18M3	<	-- M-3: Left Rear Compartment - Single Bend	1	AEV	51.00	51.00
04-AS-18M5	<	-- M-5: Right Rear Compartment - Single Bend	1	AEV	51.00	51.00
04-AS-18M6	<	-- M-6: Right Rear Compartment - Single Bend	1	AEV	51.00	51.00
04-EA-PLAF	<	-- Placard Holder, (1) 12" x 12", Front Load Aluminum Trim style	1	AEV	121.00	121.00
12-B0-0002		-- Painted Part- Painted White YZ Std	1	AEV	0.00	0.00
ZZ-ZZ-ZZ01	S	-- Location: Rear Of Box Driver's side	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
04-AS-06A0	<	Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std)	1	AEV	0.00	0.00
04-BP-F364		BODY PROTECTION AND TRIM PACKAGE: E-Series 154 & 164	1	AEV	0.00	0.00
04-BW-7A95	<	-- Bumper, Rear: HD Alum Framed w/DP pontoon covers	1	AEV	0.00	0.00
04-BW-FLIP		-- Step, Center: 2" x 7" Grip strut, flip-up	1	AEV	0.00	0.00
04-BW-AF19		-- Fenders, Rear: Polished Aluminum	1	AEV	0.00	0.00
04-BW-RU01	<	-- Skirt Rails: Extruded Rubber	1	AEV	79.00	79.00
04-BW-DP02	<	-- Corner Caps: 17.3" High, Alum Diamond Plate	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
04-BW-DP03	<	-- Front Stone Guards: 17.3" High, Alum Diamond Plate	1	AEV	0.00	0.00
04-BW-DP14		-- Rear Kick Plate: Polished Aluminum Diamond Plate	1	AEV	0.00	0.00
04-EA-2500	<	-- Rear Recovery Eyes: (2) Cast Iron - Paint Black	1	AEV	223.00	223.00
04-EA-2501		-- Eye Access Holes: (2) 5 inch Dia....., Align w/ eyes	1	AEV	0.00	0.00
04-AS-0500	<	-- Holder, License Plate, CPI C30002, Recessed choice of lights	1	AEV	78.00	78.00
04-AS-0520		-- Location, kickplate centered under rear doors	1	AEV	0.00	0.00
05-EL-44TN		-- Tag Light: Kinequip LED #132703C	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
04-DE-0010		-- Rear Deflector: NONE	1	AEV	0.00	0.00
04-EA-09A0	<	(2) Rear Door Hold Opens: Grabber Style, each door	1	AEV	0.00	0.00
04-ZZ-ZZZZ		--	1	AEV	0.00	0.00
04-EA-14A0		Running Boards, Diamond Plate w/ full length Grip strut edge E-Series	1	AEV	332.00	332.00
04-EA-1122	<	-- Mud Flaps Front: Modular, Rubber with AEV/Rev Logo std	1	AEV	0.00	0.00
04-EA-1132	<	-- Mud Flaps Rear: Modular, Rubber AEV LOGO	1	AEV	0.00	0.00
05-EL-3904	<	-- Lights, Cab Step: 2" White LED, mounted in box front, (TOCOACCR)	1	AEV	135.00	135.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
		EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2	1	AEV	0.00	0.00
05-EL-1800		CORNER CAP LED ICC/WARNING LIGHTS	1	AEV	0.00	0.00
05-EL-18F0		-- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE	1	AEV	0.00	0.00
05-EL-18F1	<	-- Front Center ICC Lts: (3) AMBER Kinequip LED No 112401A,	1	AEV	0.00	0.00
05-EL-18FH		-- Front ICC Lt Guards: NONE	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-EL-18R5		-- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER	1	AEV	0.00	0.00
05-EL-18R1	<	-- Rear Center ICC Lts: (3) RED Kinequip LED No 112401R	1	AEV	0.00	0.00
05-EL-18RH		-- Rear ICC Lt Guards: NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SW-CC01		-- ICC Warning Lights Switched: Primary Only	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-EL-2502		LED Lights, Patient on Board, Exterior	1	AEV	0.00	0.00
05-EL-2524	S <	-- Amber LED POB Light, Each	3	AEV	36.00	108.00
05-EL-252A		-- Red/White LED Light, Each, NONE	1	AEV	0.00	0.00
05-EL-2536		-- White LED Light, Each, NONE	1	AEV	0.00	0.00
05-EL-2546		-- Red LED Light, Each, NONE	1	AEV	0.00	0.00
05-EL-2556		-- Blue LED Light, Each, NONE	1	AEV	0.00	0.00
05-EL-2564		-- Lights Switched with Entry Door Switch	1	AEV	0.00	0.00
05-EL-2568	S	--	1	AEV	44.00	44.00
05-EL-2501		LED Door Panel Warning, Interior, NONE	1	AEV	0.00	0.00
05-EL-258X		Underbody Ground Lights : NONE	1	AEV	0.00	0.00
05-EL-2310		Tail Lights, Whelen LED Combinations , ILOS,	1	AEV	0.00	0.00
05-EL-19MO	<	-- Side Marker Lights: (2) RED Kinequip LED No 112401RD	1	AEV	0.00	0.00
05-EL-2314		-- Whelen 600 Series, Tail Lights	1	AEV	0.00	0.00
05-EL-0201		-- Flanges: (6) Chrome for above 600 Series Tail lights - INCL	1	AEV	0.00	0.00
05-EL-2320		-- Stop/Tail, Whelen 600 Series, LED, Pair, Maximum Populated	1	AEV	238.00	238.00
05-EL-2326		-- Turn, Whelen 600 Series, LED, Pair Horizontal - with turn arrow	1	AEV	179.00	179.00
05-EL-2338		-- Back up, Whelen 600 Series, Halogen, Pair	1	AEV	68.00	68.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-EL-4300		Patient Area Turn and Stop Light Indicator: None	1	AEV	0.00	0.00
05-EL-43SR	<	Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED	1	AEV	0.00	0.00
05-EL-43T2		-- Light is to steady burn, no flash	1	AEV	0.00	0.00
05-EL-4590		SCENE/FLOOD LIGHTS (Whelen Halogen 900 size)	1	AEV	0.00	0.00
05-EL-45L9		-- Left Scene Lights: (2) Whelen 900, 8-32 Degree,	1	AEV	0.00	0.00
05-EL-0203		-- Flanges: (2) Chrome for above 900 Series Scene lights	1	AEV	0.00	0.00
06-EL-18LF		-- Left Flood Activate: Left Flood Switch	1	AEV	0.00	0.00
05-EL-45T9		-- Right Scene Lights: (2) Whelen 900, 8-32 Degree,	1	AEV	0.00	0.00
05-EL-0203		-- Flanges: (2) Chrome for above 900 Series Scene lights	1	AEV	0.00	0.00
06-EL-18RT		-- Right Flood Activate: Right Flood Switch and open CSE Door	1	AEV	0.00	0.00
05-EL-46R9		-- Rear Load Lights: (2) Whelen 900, 8-32 Degree	1	AEV	0.00	0.00
05-EL-0204		-- Flanges: (2) Chrome for above 900 Series Rear load lights	1	AEV	0.00	0.00
06-EL-18RE		-- Activate: Rear Flood Switch, Reverse and Lead RA Door	1	AEV	0.00	0.00
05-HA-0000		HEAT AND AC	1	AEV	0.00	0.00
05-HA-1402	<	AC Evap: ACC HVAC Ducted in Ceiling (AC Heat Unit) - Vert..... E450 std	1	AEV	0.00	0.00
05-HA-1099		-- AC Evaporator Location: Behind Attendant Seat on the floor	1	AEV	0.00	0.00
05-HA-1101		-- Condensation Drain Pan: Internal ABS	1	AEV	0.00	0.00
05-HA-1301		-- A/C Condenser: OEM	1	AEV	0.00	0.00
05-HA-1403		-- AC Hoses: Pre-charged, GoodYear Galaxy	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
05-HA-1404		-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)	1	AEV	0.00	0.00
05-HA-14A0		-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel	1	AEV	0.00	0.00
05-HA-14B1		-- Filter, Washable Carbon Pre-Filter	1	AEV	0.00	0.00
05-HA-14C0		-- AC COMPRESSOR: Tee into OEM	1	AEV	0.00	0.00
05-HA-15A0		-- Ducted AC Delivery: insulated & foil wrapped, 10 registers	1	AEV	0.00	0.00
10-HA-0301	<	-- Thermostat, Rear A/C, Digital, ACC System	1	AEV	270.00	270.00
05-HA-1501		Espar Heater System: None	1	AEV	0.00	0.00
05-HZ-ZZZZ			1	AEV	0.00	0.00
05-IL-0051	<	CEILING PANELS : ACM Gloss White	1	AEV	0.00	0.00
05-IL-0135		-- Dome Lts, LED K15: Kinequip, (4) Streetside, (4) Curbside	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-EC-0900	<	-- Timer, Spring wound Constant Hot, Check out, 15 Minute	1	AEV	86.00	86.00
06-EC-09P1		-- Timer to Power: Street side DOMES, High intensity	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
09-MH-08A1		-- IV Hook No 1: Hook 07 w/ Velcro bag stabilizer - STD	1	AEV	0.00	0.00
09-MH-08P1		-- LOCATION: Over head/chest area, primary patient on COT	1	AEV	0.00	0.00
09-MH-08A2		-- IV Hook No 2: Hook 07 w/ Velcro bag stabilizer - STD	1	AEV	0.00	0.00
09-MH-08P2		-- LOCATION: Over head/chest area, secondary patient on S/B	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
09-MH-2AC5	<	-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... Øt, 72in, Gray Antimicrobial	1	AEV	0.00	0.00
		Insulation PKG:	1	AEV	0.00	0.00
05-IN-1STD	<	-- Insulation: Circumferential PKG, Reflective w/ Air cell core	1	AEV	0.00	0.00
05-IN-3STE		-- Insulation: Entry Door, Reflective w/ Air cell core	1	AEV	0.00	0.00
05-IN-4STF	<	-- Insulation: Floor, 1/2" Block Foam	1	AEV	0.00	0.00
05-IN-5ST0		-- Insulation: Walls/Ceiling, Additional : NONE	1	AEV	0.00	0.00
05-IN-6STD		-- Stepwell Insulation: None	1	AEV	0.00	0.00
05-LB-6100	<	-- Light Bar Alternative, (4) Across Front, 92" or wider	1	AEV	0.00	0.00
05-LB-6222		-- Front of Module SLED System - 92" and wider (4)	1	AEV	0.00	0.00
05-LB-6897		-- Flasher for LED front of module: None	1	AEV	0.00	0.00
05-PH-LS0G		-- Flanges: (4) 700-Chrome Flanges for lights above	1	AEV	0.00	0.00
05-PL-LV52	S	-- Lights: (4) Whelen 700, Super RED LED/CLEAR LENS, Non-Programmable IATS	2	AEV	190.00	380.00
25-PL-LX12		-- LED Color for Above 700 Super LED Pair: Red	2	AEV	0.00	0.00
05-LB-6900		-- Alternative Lightbar Switching, Prim/Sec	1	AEV	0.00	0.00
05-PA-LB0B		-- Rear Light Bar: NONE	1	AEV	0.00	0.00
05-SY-LTLE		LED WARNING LIGHT SYSTEM - E-series LTD	1	AEV	0.00	0.00
05-FS-0707	<	-- Flasher: Vanner 9860GCPE	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
05-FS-10P5		-- Flash Pattern: KKK-A-1822	1	AEV	0.00	0.00
05-FS-1154		-- Vanner 9860 Flash pattern Quad Burst Flash	1	AEV	0.00	0.00
06-SW-PS01		-- Warning Light SWITCH: center console, Primary / Secondary	1	AEV	0.00	0.00
05-PH-LSX9		-- Mirror Lights: NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PH-LT06		-- (2) Grille Lights: Whelen TIRLIN3, LED, Chrome Hsg	1	AEV	0.00	0.00
05-FS-1100		-- Program #25 - Steady Burn, Flash thru Flasher	1	AEV	0.00	0.00
05-PH-LT0A		-- Lights: (2) Whelen TIRLIN3, RED LED, Chrome Hsg	1	AEV	0.00	0.00
05-PS-LZ01		-- Additional Grille TIR-Lights: NONE	1	AEV	0.00	0.00
05-PL-LU20		-- (2) Front Intersection Lts: Whelen 700, LED (Super LED):	1	AEV	0.00	0.00
05-PH-LT09	<	-- Flanges: (2) 700-Chrome Flange for lights above	1	AEV	0.00	0.00
05-PL-LX52		-- Lights: (2) Whelen 700, Super RED LED/CLEAR LENS, Non-Programmable ILOS	1	AEV	94.00	94.00
25-PL-LX12		-- LED Color for Above 700 Super LED Pair: Red	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU32		-- (1) Center Front WHITE Warning Lt: Whelen 700, (Super LED)	1	AEV	0.00	0.00
05-PH-LS0J		-- Flange: (1) 700-Chrome Flange for lights above	1	AEV	0.00	0.00
05-PL-LXK0		-- Light: Whelen 700, Super WHITE LED/CLEAR LENS, Non-Programmable ILOS	1	AEV	102.00	102.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU40		-- (2) Front Warning Lts: Whelen 900, (Super LED)	1	AEV	0.00	0.00
05-PH-LS0A		-- Flanges: (2) 900-Chrome Flanges for lights above	1	AEV	0.00	0.00
05-PL-LXF2		-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable ILOS	2	AEV	224.00	448.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU50		-- (4) Side Warning Lts: Whelen 900, (Super LED)	1	AEV	0.00	0.00
05-PH-LS0F		-- Flanges: (4) 900-Chrome Flanges for lights above	1	AEV	0.00	0.00
05-PL-LXF2		-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable ILOS	4	AEV	224.00	896.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU51		-- (2) Rear Intersection Lts : Whelen 700, (Super LED) IATS	1	AEV	94.00	94.00
05-PH-LS08		-- Flanges: (2) 700-Chrome Flanges for lights above	1	AEV	0.00	0.00
05-PH-LT5A		-- Locations: (1) over each rear wheel well opening.	1	AEV	0.00	0.00
05-PL-LXK2		-- Light: Whelen 700, Super RED LED/CLEAR LENS, Non-Programmable ILOS	2	AEV	47.00	94.00
06-SW-0022		-- Rear Intersection Lights Switched: PRIMARY	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU60		-- (2) Rear Warning Lts: Whelen 900, (Super LED) ilos	1	AEV	0.00	0.00
05-PH-LS0A		-- Flanges: (2) 900-Chrome Flanges for lights above	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
05-PH-LT6A		-- Location: REAR, (1) in EACH Upper outer corner.	1	AEV	0.00	0.00
05-PL-LXF2		-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable ILOS	2	AEV	224.00	448.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU61		-- (2) Rear Warning Lts: Whelen 900, (Super LED), IATS	1	AEV	0.00	0.00
05-PH-LS0A		-- Flanges: (2) 900-Chrome Flanges for lights above	1	AEV	0.00	0.00
05-PH-LT6B		-- Location: REAR, (1) aligned w/ EACH upper window in RA doors.	1	AEV	0.00	0.00
05-PL-LV12		-- Light: Whelen 900, Super RED LED/CLEAR LENS, Non-Programmable IATS	2	AEV	286.00	572.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PL-LU70		-- (1) Rear Center Warning Lt: Whelen 600, (Super LED)	1	AEV	129.00	129.00
05-PH-LS0K		-- Flange: (1) 600-Chrome Flanges for lights above	1	AEV	0.00	0.00
05-PL-LXH6		-- Light: Whelen 600, Super AMBER LED/CLEAR LENS, Non-Program ILOS	1	AEV	35.00	35.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
05-PN-KPM0		-- Additional Kick Plate Lts, On Rear : NONE	1	AEV	0.00	0.00
05-PZ-09B4		-- LED Program Switch : NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
		ELECTRICAL - CELL 3	1	AEV	0.00	0.00
05-IL-12MK	S <	-- Cab Ovhd Light: (1) , Kinequip 440912WB, Red/White LED EACH	1	AEV	61.00	61.00
06-00-0004	S	--	1	AEV	0.00	0.00
06-01-0008	S <	-- Customer Supplied Part(s) : Henderson County	2	AEV	100.00	200.00
ZZ-ZZ-ZZZZ		--	2	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-00-0046	<	-- Secure Idle System E350/450 Cutaway Truck Installed	1	AEV	300.00	300.00
06-00-IN00		Under Cab Flooring Insulation: NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-AA-3000	<	-- Headlight Flasher: Whelen Model SSFPOS, Installed	1	AEV	204.00	204.00
06-AA-0310	<	-- Flasher Operation: 49-state, Separate switch in Console	1	AEV	0.00	0.00
06-AL-47SU	<	Hand Held Spot Light: None	1	AEV	0.00	0.00
06-BA-3F21		Batteries: 2 - Battery System - E-series Gas Only	1	AEV	0.00	0.00
06-BA-3FD2	<	-- Battery Make: (2) Motorcraft-OEM	1	AEV	0.00	0.00
06-BA-3FM1		-- Batt Loc: (T3) (1) Underhood, Remainder Batt M-8	1	AEV	0.00	0.00
06-EC-08A0	<	-- Battery Switch & Auto-Battery Shut-down (Kill Circuit): 5 Minute	1	AEV	291.00	291.00
06-DA-DOM0		Dash Light : NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-EB-13M1		Cabinet Interior Lights: None	1	AEV	0.00	0.00
06-EC-0564		POWER Door Locks: Module Doors - Full Mod	1	AEV	0.00	0.00
06-EC-0505	<	-- Door Locks, Tied into OEM System	1	AEV	64.00	64.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
06-EC-0512	<	-- OEM Key Fob: Included w/Chassis Unlock Mod Doors	1	AEV	0.00	0.00
06-EC-05C9	<	-- Door Lock Switches : Integrated in Interior Entry door Handles	1	AEV	0.00	0.00
06-EC-05K0		-- ONLY the following doors shall have power door locks:	1	AEV	0.00	0.00
06-EC-05M6		-- Electric Door Lock: Rear Access Doors	1	AEV	99.00	99.00
06-EC-05N0		-- Electric Door Lock: Curbside Access Door	1	AEV	99.00	99.00
06-EC-5000		--	1	AEV	0.00	0.00
06-EC-2800	S <	Door Unlock Switch, Momentary, Exterior, hidden	1	AEV	89.00	89.00
06-EC-0803		-- Location: Recessed Tag Area	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-EC-3042	<	-- Cam Sys - 3 camera, Fixed Exterior white backup, Patient & Right turn	1	AEV	1310.00	1310.00
06-EC-31CZ	XS	-- Monitor Mount : ABS Housing, Flip down	1	AEV	261.00	261.00
06-EC-3241		-- Camera 1	1	AEV	0.00	0.00
06-EC-3255		-- View Location - Backup, Module rear	1	AEV	0.00	0.00
06-EC-3256		-- Camera 2	1	AEV	0.00	0.00
06-EC-3265	S <	-- Camera view location - Module interior patient camera - grab rail recess	1	AEV	0.00	0.00
06-EC-3268		-- Camera 3	1	AEV	0.00	0.00
06-EC-326H		-- View only location- Right turn blind spot, Right front fender	1	AEV	0.00	0.00
06-EC-3507		Circuit Board: RMR Rail System, W/ LED Diagram - E Series	1	AEV	0.00	0.00
06-EC-3570		-- Master Switch: Front Only	1	AEV	0.00	0.00
06-EC-CB03		-- Circuit Protection, 12V: Blade Breaker - Manual-reset	1	AEV	0.00	0.00
06-FS-1101		-- Sequencer/Load manager: NONE	1	AEV	0.00	0.00
06-RR-23F1		-- Ind Light Flasher: Thru 14S Flasher Unit	1	AEV	0.00	0.00
06-RR-F301		-- CONSOLE, Engine Cover: 2-level Roto-molded ABS E series	1	AEV	0.00	0.00
05-IL-1150		-- Map Light : None	1	AEV	0.00	0.00
06-RR-2310		-- SWITCH PANEL: Front and Rear Standard - LED Rocker E- Series	1	AEV	0.00	0.00
06-00-0001		--	1	AEV	0.00	0.00
06-MC-0810	<	-- Smart Volt Meter: (1) Kinequip 8.0 thru 16.0 Volts, Digital w Low voltage buzze	1	AEV	0.00	0.00
06-RR-23A1		-- Engraved LOGO: AEV TraumaHawk	1	AEV	0.00	0.00
06-RR-2311		-- Indicator Light: AMBER Compt Open" light	1	AEV	0.00	0.00
06-RR-2312		-- Flashing light: Activate w/ ANY compartment door switch.	1	AEV	0.00	0.00
06-RR-2313		-- Indicator Light: GREEN "Amb Pwr" light	1	AEV	0.00	0.00
06-RR-2314		-- Steady burn light: Activate with Conversion power switch	1	AEV	0.00	0.00
06-RR-2315		-- Indicator Light: RED "Door Ajar" light	1	AEV	0.00	0.00
06-RR-2316		-- Flashing light: Activate w/ ANY Mod dotryswitch.	1	AEV	0.00	0.00
06-RR-23J3		-- Door/Compartment Ajar Buzzer: None	1	AEV	0.00	0.00
06-RR-23L0		-- Illumination strip LED for Front and rear switch panels 12v	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-RR-0200		-- Add-on Console: E/G-series console, Long Style	1	AEV	173.00	173.00
07-RR-02A0		-- Drink Holder: (2) In Cab Console, Big Gulp Size	2	AEV	20.00	40.00
07-RR-02A5	S	-- Drink Holder Location: Behind Notebooks	2	AEV	0.00	0.00
07-RR-02E0		-- Note Book Slot: Single - Full width by 4" wide	1	AEV	50.00	50.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
07-RR-02E1		-- Divider(s): NONE	1	AEV	0.00	0.00
07-RR-2355		-- Glove Storage: (4) Glove Box Storage Across Rear of add on console	1	AEV	77.00	77.00
07-RR-24A0		-- Console Finish: Black, Textured "Easy Grip"	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-RR-F311		-- Fasteners: Black finish screws into engine cover	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-EC-4300		Back-up Alarm: Standard	1	AEV	0.00	0.00
06-EC-43B0		-- Cut Off Switch: Auto reset ,momentary style	1	AEV	0.00	0.00
06-EC-GR01	<	Ground Straps, Module to Frame: (Qty 4) Braided	1	AEV	0.00	0.00
06-IG-0200		Inverter System: Ford Gas Engine Package (Only) Mod	1	AEV	0.00	0.00
06-IG-0310	<	-- Inverter : Vanner 20-1050 CUL-DC - Full Mod	1	AEV	1233.00	1233.00
06-EC-03AS		-- Portable Equip Charging Circuits: Included in Inverter	1	AEV	0.00	0.00
06-EC-03AA		-- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A	1	AEV	0.00	0.00
06-EC-03C9	<	-- Portable Equip Pwr Source: Ignition and/or Shoreline	1	AEV	0.00	0.00
06-IG-03A0		-- Battery Charger/Conditioner: 55A - Built into Inverter	1	AEV	0.00	0.00
06-IG-0003		-- Built-in Battery Charger: Enable - Wire to Batteries	1	AEV	0.00	0.00
06-IG-04L7		-- Inverter Location: M-1A (ULF) Compartment	1	AEV	0.00	0.00
06-MC-0900		Low Voltage Indicator: Amber with Buzzer	1	AEV	0.00	0.00
		COMMUNICATION RADIO(S) RELATED	1	AEV	0.00	0.00
06-00-0001	S <	-- Customer supplied radio cables	2	AEV	157.00	314.00
		RADIO POWER	1	AEV	0.00	0.00
06-EC-03A0		-- Radio Power No 1: 30A, Pos and Neg, 10 awg Wires	1	AEV	0.00	0.00
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	AEV	0.00	0.00
06-EC-03G0		-- LOCATION: Behind Passenger's Seat	1	AEV	0.00	0.00
06-EC-03A2		-- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1	AEV	0.00	0.00
06-EC-03B0		-- Radio Power Source: Battery Switch Hot	1	AEV	0.00	0.00
06-EC-03E0		-- LOCATION: Behind Action Area Board	1	AEV	0.00	0.00
		ANTENNA LEADS	1	AEV	0.00	0.00
06-RR-0100		-- Coaxial Cable, No 1: Type RG-58U, No connectors	1	AEV	0.00	0.00
06-RR-01O1	<	-- ORIGINATION POINT: Roof Port No 1	1	AEV	0.00	0.00
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	AEV	0.00	0.00
06-RR-01T1		-- TERMINATION POINT: Behind Passenger's seat w/ 36" Tail	1	AEV	0.00	0.00
06-RR-0101		-- Coaxial Cable, No 2: Type RG-58U, No connectors	1	AEV	26.00	26.00
06-RR-01O2	<	-- ORIGINATION POINT: Roof Port No 2	1	AEV	0.00	0.00
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	AEV	0.00	0.00
06-RR-01T2		-- TERMINATION POINT: Behind Action Area Box w/ 36" Tail.	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
06-RR-1809		-- Patient Area Radio : None	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-0000		125V SHORE LINE AND OUTLETS	1	AEV	0.00	0.00
06-00-0001		--	1	AEV	0.00	0.00
06-SO-0500		-- Shore Line Inlet: 20A Super Auto Eject, ILOS	1	AEV	236.00	236.00
06-SO-00L1		-- Inlet location: Aft of Left Front compartment	1	AEV	0.00	0.00
06-SO-1010		-- Cover, White, Shore Line Inlet : 20A Super Auto Eject, ILOS	1	AEV	29.00	29.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-10TT	<	-- Inpower Timer: VCM-05-01SF, Installed	1	AEV	49.00	49.00
06-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1400		-- **125 Volt OUTLETS**	1	AEV	0.00	0.00
06-SO-1401	<	-- 125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY	1	AEV	0.00	0.00
06-SO-14L1		-- LOCATION: Action Area, standard location	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1402		-- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY	1	AEV	0.00	0.00
06-SO-14L4		-- LOCATION: Telemetry Area, (See Drawing)	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1403		-- 125 VAC Outlet, No 3: 15A, Hospital Grade, IVORY	1	AEV	82.00	82.00
06-SO-14L4		-- LOCATION: Telemetry Area, (See Drawing)	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1404		-- 125 VAC Outlet, No 4: 15A, Hospital Grade, IVORY	1	AEV	82.00	82.00
06-SO-14L9	S	-- LOCATION: Behind Passengers Seat	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1405		-- 125 VAC Outlet, No 5: 15A, Hospital Grade, IVORY	1	AEV	82.00	82.00
06-SO-14L3	S <	-- LOCATION: RF ALS, (See Drawing)	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1406		-- 125 VAC Outlet, No 6: 15A, Hospital Grade, IVORY	1	AEV	82.00	82.00
06-SO-14L3		-- LOCATION: RF ALS, (See Drawing)	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1407		-- 125 VAC Outlet, No 7: 15A, Hospital Grade, IVORY	1	AEV	82.00	82.00
06-SO-14L1		-- LOCATION: Action Area, standard location	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SO-1100		**INTERIOR 12 Volt OUTLETS**	1	AEV	0.00	0.00
06-SO-1101		-- 12V Outlet, No 1: Power Point Double Outlet-Wire thru Med Isolator	1	AEV	0.00	0.00
06-SO-11L1		-- LOCATION: Action Area, standard location	1	AEV	0.00	0.00
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV	0.00	0.00
06-SO-1910		-- Power Source: Medical Isolator , Batt Sw Hot	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
06-SS-0600		Siren: Whelen, 295SLSA1, Standard E-Series	1	AEV	0.00	0.00
06-SS-DF04	<	-- Siren Speakers: Federal # ES100-ESMFT-EF, E Series ILOS	1	AEV	221.00	221.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
06-SS-SW01	<	-- Siren / Horn Switch: In Cab Console	1	AEV	0.00	0.00
06-SS-SY01		Air Horn System: NONE	1	AEV	0.00	0.00
		CABINET SHOP - Modular	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-00-0001	<	ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-00-164E		CABINET CONSTRUCTION, GENERAL, 164 X 95 E-SERIES	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-00-BH01	<	BULKHEAD PANELS: See Station 5	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-00-MC02		Mica Color: Gloss Gray	1	AEV	36.00	36.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-00-PC02		LEXAN Type/Color: Lexan - GRAY	1	AEV	0.00	0.00
07-00-PH01		-- Window Handles: Full Length Extruded	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-01-SEH0		-- Attendant Seat EVS child Safety Seat 6 Deg with 6pt Black restraint	1	AEV	0.00	0.00
07-01-SEH1	<	-- Attendant Seat: EVS, 6 deg Child Safety Seats, 6-Pt, Gun Metal, ILOS	1	AEV	712.00	712.00
07-SE-0203		-- BASE: EVS Seats, Metal, Mica Covered Base, Match Unit Interior	1	AEV	225.00	225.00
07-DR-WD01		-- Door, Single Solid Flush Fitted	1	AEV	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	AEV	0.00	0.00
07-DR-OR02		-- Hinge Orientation: BOTTOM	1	AEV	0.00	0.00
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV	0.00	0.00
07-HW-SO02		-- Lever Latch: Locking - Black Finish	1	AEV	0.00	0.00
07-AC-6401		AC CABINET: Evaporator, Std Location Behind Att Seat	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-BH-6401		Bulkhead Cabinet "J": Standard	1	AEV	0.00	0.00
07-BH-6402		-- Cabinet "J": Over Att Seat	1	AEV	0.00	0.00
07-DR-LX24		-- Door: Single Flip Up 3/8" Lexan	1	AEV	0.00	0.00
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV	19.00	19.00
11-X0-0010	<	-- Stowage rating label - Southco round latch 10 pounds applied each	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-CA-04A8		Cabinet, (3) Glove Storage, over C/S Entry Door	1	AEV	332.00	332.00
07-DR-LX04		-- Door: Overlay He, 3/8" Lexan - 3-glove dispense thru	1	AEV	0.00	0.00
07-HW-BG03		-- Catches: Brass Grabbers w/ Adj tension	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-CA-0300		CURBSIDE UPPER: Over S/B, Mods	1	AEV	398.00	398.00
07-CU-K107		-- Cabinet K1 & K2: (2) Openings with flush center divider	1	AEV	77.00	77.00
07-DR-LX27		-- (K) Doors: Dual Flip Up 3/8" Lexan	1	AEV	0.00	0.00
07-DR-LZ22		-- Hinges: Reel Torque	1	AEV	0.00	0.00
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV	19.00	19.00
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV	19.00	19.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-CA-04B0		CURBSIDE REAR STORAGE CABINET: NONE	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-LF-6401		LF Cabinet, Behind Att Seat: Cabinet "H"/(Elec Cab)	1	AEV	0.00	0.00
07-CA-VEN7		-- Plastic Vent: (2) Total, 1 column x 8 row, Vent 01	1	AEV	0.00	0.00
07-DR-WD01		-- Door, Single Solid Flush Fitted	1	AEV	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	AEV	0.00	0.00
07-DR-OR04		-- Hinge Orientation: RIGHT	1	AEV	0.00	0.00
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV	0.00	0.00
07-HW-SO01		-- Lever Latch: Non-locking - Black Finish	1	AEV	0.00	0.00
11-X0-0012	<	-- Stowage rating label - Black Lever latch 8 pounds applied each	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-RF-6401		RF ALS Cabinet: Standard	1	AEV	0.00	0.00
07-RF-I164		-- Cabinet I-1: Standard	1	AEV	0.00	0.00
07-DR-LX24		-- Door: Single Flip Up 3/8" Lexan	1	AEV	0.00	0.00
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV	19.00	19.00
11-X0-0010	<	-- Stowage rating label - Southco round latch 10 pounds applied each	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-RF-I266		-- Cabinet I-2: Shortened for Drawer Option	1	AEV	0.00	0.00
07-DR-LX22		-- Doors, Double, Overlay Hinged, 3/8" Lexan - LG	1	AEV	220.00	220.00
07-HW-SO01		-- Lever Latch: Non-locking - Black Finish	1	AEV	0.00	0.00
11-X0-0012	<	-- Stowage rating label - Black Lever latch 8 pounds applied each	1	AEV	0.00	0.00
07-DR-OR05		-- Hinge Orientation: (1) RIGHT and (1) LEFT	1	AEV	0.00	0.00
07-TS-1200		-- Shelf Track: Small alum Unistrut type	1	AEV	0.00	0.00
07-CA-0600		-- (1) Shelf: Adjustable with Alum Trim	1	AEV	0.00	0.00
07-TZ-I26A	S <	-- 2 Drawers I-2A and I-2B: 8" High	2	AEV	255.00	510.00
07-DR-WD14		-- Drawer Front: Flush Fitted	2	AEV	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	2	AEV	0.00	0.00
07-HW-KV70	<	-- Lock (KV-70): 1/2 turn pawl - Hinged Door	2	AEV	28.00	56.00
07-HW-SL01		-- Drawer Slides: Full Extension, Detachable	2	AEV	0.00	0.00
07-RF-0001		-- Interior MICA Color: White cabinet liner	2	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-RF-I30D	S <	-- Cabinet I-3: Waeco Cooling Drawer	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-RR-0064		Right Rear Cabinet: Cover over M-5 Compartment	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-SA-0000		--	1	AEV	0.00	0.00
07-SB-6401		SQUAD BENCH: Standard 164-172	1	AEV	0.00	0.00
07-SB-0001		-- See Upholstery Section for Post and Wheel Cup info	1	AEV	0.00	0.00
07-SB-1002		-- Bio-waste/Sharps No 1: Gray ABS Rim, Red Lexan Cover	1	AEV	0.00	0.00
07-SB-1003		-- LOCATION: At head of Squad Bench	1	AEV	0.00	0.00
07-SB-1004		-- SHARPS CONTAINER: 3-Quart Bemis Container	1	AEV	0.00	0.00
07-SB-1005		-- WASTE CONTAINER: 6 Quart	1	AEV	0.00	0.00
07-SB-1001		-- Storage Under Lid - Configure to M-6 Compartment Size	1	AEV	0.00	0.00
07-SB-LID2		-- Squad Bench Lids: Split - 2-section	1	AEV	0.00	0.00
07-SB-LH00		-- Hinge, Squad Bench Lid(s): Butt Style Hinges	1	AEV	0.00	0.00
07-SB-LH03		-- Lid Checks: Gas shock, Dual Action	2	AEV	0.00	0.00
07-SB-LH16		-- Lid Latch: (2) Rotary with Nader pin adjustable, non-locking Compliant	1	AEV	11.00	11.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
11-X0-0030	<	-- Stowage rating label - Squad bench interior, entire area 80 lbs	1	AEV	0.00	0.00
07-TR-SB01		-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection	1	AEV	0.00	0.00
08-MH-1400	<	-- Restraint Net, Black, 7 point detachable, at head of S/B, Mod	1	AEV	0.00	0.00
08-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-TC-0000		--	1	AEV	0.00	0.00
07-TC-6401		TOP CABINETS, - Standard	1	AEV	0.00	0.00
07-TC-A644		-- Cabinet A: Standard	1	AEV	0.00	0.00
07-TS-1200		-- Shelf Track: Small alum Unistrut type	1	AEV	0.00	0.00
07-CA-0600		-- (1) Shelf: Adjustable with Alum Trim	1	AEV	0.00	0.00
07-DR-LX24		-- Door: Single Flip Up 3/8" Lexan	1	AEV	0.00	0.00
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV	19.00	19.00
11-X0-0010	<	-- Stowage rating label - Southco round latch 10 pounds applied each	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-TC-B455	S	-- Cabinet B1: Rearward of cabinet B on angled section	1	AEV	0.00	0.00
07-DR-WD01		-- Door, Single Solid Flush Fitted	1	AEV	0.00	0.00
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	AEV	0.00	0.00
07-DR-OR04		-- Hinge Orientation: RIGHT	1	AEV	0.00	0.00
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV	0.00	0.00
07-HW-SO02		-- Lever Latch: Locking - Black Finish	1	AEV	0.00	0.00
11-X0-0012	<	-- Stowage rating label - Black Lever latch 8 pounds applied each	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-TC-B641		-- Cabinet B: Ergonomically angled toward the CPR seat	1	AEV	0.00	0.00
07-TS-1200		-- Shelf Track: Small alum Unistrut type	1	AEV	0.00	0.00
07-CA-0608	<	-- (2) Shelves: Adjustable mica over substrate with Alum Trim	1	AEV	0.00	0.00
07-CB-DRLX		-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1	AEV	0.00	0.00
07-00-PH01		-- Window Handles: Full Length Extruded	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-0000		--	1	AEV	0.00	0.00
07-WC-6401		WALL CABINET: CPR Seat w/Telemetry Type 3	1	AEV	0.00	0.00
07-WC-AA01		-- Action Area: Standard	1	AEV	0.00	0.00
07-CA-4800	S	-- 1/2" Solid Surface A/A Tray	1	AEV	762.00	762.00
07-CA-4814		-- (Solid Surface) Material COLOR: Arctic Melange 9070ML	1	AEV	0.00	0.00
07-WC-AABD		-- Action Area Board: See Station No 6 for content	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-C641		-- Cabinet C: Standard	1	AEV	0.00	0.00
07-TS-1200		-- Shelf Track: Small alum Unistrut type	1	AEV	0.00	0.00
07-CA-0600		-- (1) Shelf: Adjustable with Alum Trim	1	AEV	0.00	0.00
07-CB-DRLX		-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1	AEV	0.00	0.00
07-00-PH01		-- Window Handles: Full Length Extruded	1	AEV	0.00	0.00
07-RF-0007		-- No Inside Access to Exterior Compartment	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-D641	S	-- Cabinet D: Non Angled Cabinet Over Tele. Area	1	AEV	0.00	0.00
07-TS-1200		-- Shelf Track: Small alum Unistrut type	1	AEV	0.00	0.00
07-CA-0600		-- (1) Shelf: Adjustable with Alum Trim	1	AEV	0.00	0.00
07-CB-DRLX		-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
07-00-PH01		-- Window Handles: Full Length Extruded	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-E003		-- Cabinet E: DELETE	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-F641		-- Cabinet F: Standard	1	AEV	0.00	0.00
07-CB-DRLX		-- Doors, Sliding Lexan, Mitered AL Assy: Standard	1	AEV	0.00	0.00
07-00-PH01		-- Window Handles: Full Length Extruded	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-SS02		-- Side Seat: 24" - Single Position - Under Lid Storage w/Latch	1	AEV	183.00	183.00
07-WC-BA00		-- Hinge, CPR Seat Lid(s): Butt Style Hinges	1	AEV	0.00	0.00
07-WC-BR01		-- Back Rest: Fixed to Back Wall of CPR Seat w/clips	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-TA01		-- Telemetry Area: with armrest pad	1	AEV	0.00	0.00
07-CA-4900	<	-- 1/2" Solid Surface Telemetry Area Tray:	1	AEV	669.00	669.00
07-CA-4T04		-- (Solid Surface) Material COLOR: Arctic Melange 9070ML	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-WC-O101		-- Cabinet O1: Standard	1	AEV	0.00	0.00
07-TS-1200		-- Shelf Track: Small alum Unistrut type	1	AEV	0.00	0.00
07-CA-0600		-- (1) Shelf: Adjustable with Alum Trim	1	AEV	0.00	0.00
07-CB-DRLY		-- Door: Single Overlay Lexan Hinged Right	1	AEV	0.00	0.00
07-HW-SO11		-- Round Pull Latch: Non-locking - Chrome Finish	1	AEV	19.00	19.00
11-X0-0010	<	-- Stowage rating label - Southco round latch 10 pounds applied each	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-SE-SB10		-- P6 - 6-Point Restraint System - with CPR Seat	1	AEV	0.00	0.00
08-SE-SB20		-- (2) on Squad Bench, (1) CPR Side Seat	1	AEV	0.00	0.00
08-SE-SB70		-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench	1	AEV	0.00	0.00
08-SE-SB76		-- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
CABINET SET - CELL 4 - MOD			1	AEV	0.00	0.00
08-00-00PW		Sub Floor, 3/4" Plywood, Standard	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-00-FL30		Flooring: Lonplate II - #424 Gun Metal (Dark Gray)	1	AEV	273.00	273.00
08-00-FL01		-- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up	1	AEV	0.00	0.00
08-AS-0001	<	-- Rear Threshold, Stainless, 6" Wide x Full Width at rear doors	1	AEV	0.00	0.00
08-AS-0006		-- C/S Stepwell Threshold, Polished Diamond Plate	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-CS-0001		COT MOUNT HARDWARE: (Full Size Mod)	1	AEV	0.00	0.00
08-CR-0730	<	-- Cot Mt Stryker Performance load & charger w/floor plate - mods SAE	1	AEV	4508.00	4508.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
08-CR-09PN		-- mass casualty kit not requested	1	AEV	0.00	0.00
08-CS-00C0	<	-- Cot Position No 1: PRIMARY CENTER POSITION	1	AEV	0.00	0.00
08-CS-2000	<	-- Primary Cot position under floor reinforcement	1	AEV	0.00	0.00
08-CS-19A5		-- Cot Stop, Block: Stryker Power/Performance load. Install hook with kit	1	AEV	15.00	15.00
08-CS-3009		-- Cot mount set up for: Stryker Power-Pro 6506	1	AEV	0.00	0.00
08-CS-19U1		-- Q Straint System: NONE	1	AEV	0.00	0.00
08-CS-1098		Hanging Hardware: NONE	1	AEV	0.00	0.00
08-CS-ZZZZ			1	AEV	0.00	0.00
08-OS-04ST		OXYGEN / AIR / VACUUM System:	1	AEV	0.00	0.00
08-OS-0401	<	-- Oxygen Outlet No 1: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV	0.00	0.00
08-OS-040A		-- LOCATION: Action Area	1	AEV	0.00	0.00
08-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-0402		-- Oxygen Outlet No 2: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV	0.00	0.00
08-OS-040A		-- LOCATION: Action Area	1	AEV	0.00	0.00
08-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-0403		-- Oxygen Outlet No 3: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV	144.00	144.00
08-OS-040D		-- LOCATION: Curbside Wall, over the head of the S/B	1	AEV	0.00	0.00
08-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-0904	<	-- Port Cyl Rack No 1: Zico QR-D-2 - D or Jumbo D - No Strap Req	1	AEV	258.00	258.00
ZZ-ZZ-ZZ01	S	-- Location: Elongated Stepwell	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-0905	<	-- Port Cyl Rack No 2: Zico QR-D-2 - D or Jumbo D - No Strap Req	1	AEV	258.00	258.00
ZZ-ZZ-ZZ01	S	-- Location: Elongated Stepwell	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-1100		-- Rack No 1: M-cylinder, Zico #QRM, ILOS	1	AEV	269.00	269.00
08-OS-11G1	<	-- Cylinder Type: OXYGEN - Green Colored Hose	1	AEV	0.00	0.00
08-OS-1321		-- Rack Location: M-1 (LF), corner of wall #2 and #3	1	AEV	0.00	0.00
08-OS-1902		-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-35ST		-- Vacuum System: SSCOR regulator/gauge panel in A/A	1	AEV	0.00	0.00
08-OS-3501	<	-- Collection Canister w Clip: Bemis, 1200 CC Capacity -J3043 retention complian	1	AEV	0.00	0.00
08-OS-3100		-- Vacuum Outlet No 1: Amico - Ohio Style	1	AEV	80.00	80.00
08-OS-040A		-- LOCATION: Action Area	1	AEV	0.00	0.00
08-OS-3115	<	-- Adapter, Vacuum Outlet : w/ Suction system	1	AEV	43.00	43.00
08-OS-3503	<	-- Vacuum Pump: 49 State	1	AEV	0.00	0.00
08-OS-35L8		-- Location: M-1a Compartment	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
08-OS-35VN		-- PORTABLE SUCTION UNIT : NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
TRIM / DOOR ASSEMBLY - CELL 5			1	AEV	0.00	0.00
09-00-001A		-- Soft Touch Trim Kit: None	1	AEV	0.00	0.00
09-00-0001			1	AEV	0.00	0.00
09-00-0002		*****DOOR DEPARTMENT - Full Mod*****	1	AEV	0.00	0.00
02-BT-C853		-- Handles, Ext: Tri-mark 030-1875, Free Float, Polished CNNC finish	1	AEV	0.00	0.00
02-BT-C85A	<	-- Interior Release: All Entry Doors, with bezel Emergency Access	1	AEV	0.00	0.00
09-MH-2530	<	-- Grab Rail, (1), 18" Gray Antimicrobial Rear Entry Assist std.	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
09-B1-ED00		Entry Door Panels, Windows and Hardware	1	AEV	0.00	0.00
08-MH-0010		-- Interior Grab Handle Color: Gray Antimicrobial	1	AEV	0.00	0.00
08-MH-0309	<	-- Grab Handle, CS Entry: (1) 3-pt "L" Shaped, Gray Antimicrobial	1	AEV	83.00	83.00
08-MH-03D9		-- Grab Handles, Rear Access: (2) 3-pt "L" Shaped, Gray Antimicrobial	1	AEV	165.00	165.00
09-AS-2350	<	-- Door Panels: S/S Upper / Upholstery / S/S Lower	1	AEV	505.00	505.00
09-AS-2520		-- Curbside Lower Door Panel: Stainless	1	AEV	0.00	0.00
09-WI-02A0	<	-- UPPER Windows: RA Doors, Fixed Tinted Glass 17.3"W x 19.3"H	1	AEV	0.00	0.00
09-WI-0600		-- UPPER Window: CS Access, Fixed Glass, std tint	1	AEV	0.00	0.00
09-DR-WT03	<	Walk through Door: Slide behind drivers seat fixed window	1	AEV	0.00	0.00
07-WC-LPM6	<	-- Life Pak Bracket: Zoll X-Series Defibrillator, Surface Mount Installed	1	AEV	734.00	734.00
07-WC-LPTS	<	-- Monitor Mounting: Bolted in place	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
07-ZZ-ZZZZ		--	1	AEV	0.00	0.00
ELECTRICAL Point to Point - CELL 6			1	AEV	0.00	0.00
05-IL-1150		-- Map Light : None	1	AEV	0.00	0.00
10-EC-30A0	S <	-- Cooling Drawer Cabinet: Waeco CD-30 CoolMatic (White)	1	AEV	803.00	803.00
10-EC-3200	S	-- Location: ALS	1	AEV	0.00	0.00
10-EC-A100		-- Accessory Load Manager: For Cooling Cabinet or Fridge	1	AEV	139.00	139.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
10-IL-02ST	<	Action Area Light: 12V, LED, Surface Mount	1	AEV	0.00	0.00
10-IL-02L7		-- Light Location: Action Area	1	AEV	0.00	0.00
UPHOLSTERY - CELL 7			1	AEV	0.00	0.00
11-00-UC01		Upholstery Color: Dark Gray (Gunmetal)	1	AEV	0.00	0.00
11-00-UC11		-- Center Trough Upholstery Color: Color Key to Rest of Truck	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
11-00-UT05		Uph Joint Type: Vacuum Formed - Seamless	1	AEV	0.00	0.00
11-SB-0005		Squad Bench seat cushion cut-outs: None	1	AEV	0.00	0.00
11-SE-CSPD		Head Protection: Pad over CS Entry Door	1	AEV	0.00	0.00
11-SE-REPD		Head Protection: 2" Pad over Rear Access Doors, Full Width	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
PAINT - STRIPES - DECALS			1	AEV	0.00	0.00
12-PT-UNCT		-- Undercoating : Per QVM Guidelines, STD	1	AEV	0.00	0.00
12-DC-0001		Reflective Tape: On painted edges of Exterior Door Frame	1	AEV	0.00	0.00
12-DC-GA10		Compartment Finish: Diamond Plate Standard	1	AEV	0.00	0.00
12-PT-0100		Primary (Over All) Color: White (YZ)	1	AEV	0.00	0.00
12-DC-0002	<	-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R	1	AEV	0.00	0.00
12-PT-0112		-- Tape Stripe: NONE (KKK-F Deviation)	1	AEV	0.00	0.00
12-PT-RF01	<	-- Roof Paint: Color and finish quality to be GLOSSY	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
12-PT-2000	S	< Lettering: NWEV TO INSTALL	1	AEV	2300.00	2300.00
12-ZZ-ZZZZ	S	-- Window Perf on all 3 windows with star of life to be installed by NWEV	1	AEV	0.00	0.00
12-PT-DRIP	<	Drip Rails: Bright Aluminum, De-burred and rounded corners	1	AEV	0.00	0.00
DETAIL - SHIP LOOSE ITEMS			1	AEV	0.00	0.00
12-PT-DRIZ	<	-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ	S	-- Vacuum Regulator	1	AEV	0.00	0.00
13-10-XM00		-- Owner's Manual DVD ship loose	1	AEV	0.00	0.00
34-OS-1400		-- Amico O2 Minder, Transducer: NONE	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
13-KK-KDEC		Decals: KKK / DOT Pkg, Blue/White reflective - Base	1	AEV	0.00	0.00
13-RF-STAS		-- Decals: 32" Star of Life - Ship Loose	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
13-KK-NSSB		Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
13-KL-0010		AEV Logos: Installed on unit per AEV standard locations	1	AEV	0.00	0.00
13-MH-05ST	<	Fire Extinguisher, 5 pound, shipped loose, Std	1	AEV	0.00	0.00
13-MH-10A0	<	Reflector Pkg: Body - 2ea, Side Fr Amber, Side Re Red, Rear	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
13-OX-1700		STD Regulator, Oxygen, Fixed output @ 50 psi +/-5 , CGA 540, Ship Loose	1	AEV	0.00	0.00
13-SB-0003		Post And Wheel Cups: NONE	1	AEV	0.00	0.00
13-SP-TIRE		Spare Tire: Refer To Chassis Section to See if it gets one.	1	AEV	0.00	0.00
34-XX-0001		Primary Cot: NONE included	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
34-XX-0002		Secondary Stretcher: NONE included	1	AEV	0.00	0.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00
34-XX-5000	<	Indemnification Statement	1	AEV	0.00	0.00
		== 164-172 x 95 T-3 Base Price - 10.110 10/26/15	1	AEV	0.00	0.00
		==				
GENERAL CONVERSION			1	AEV	0.00	0.00
03-00-0001			1	AEV	0.00	0.00
03-03-004D	S	2018 **164+ ** E450 Drw CONV PKG 18-2	1	AEV	83681.00	83681.00
03-ZZ-ZZZZ	S	***Ford GPC Discount	1	AEV	-6607.00	-6607.00
ZZ-ZZ-ZZZZ		--	1	AEV	0.00	0.00

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
36-EO-0001		-- ***END OF ORDER***	1	AEV	0.00	0.00
Total						142,000.00